



# ***Bowl Cutter / Hummus Food Processor***

Model FP-TR-0015

Item 48282

## ***Instruction Manual***



*Revised - 10/17/2024*



Toll Free: 1-800-465-0234  
Fax: 905-607-0234  
Email: [service@omcan.com](mailto:service@omcan.com)  
[www.omcan.com](http://www.omcan.com)



# ***Table of Contents***

Model FP-TR-0015

---

| <b>Section</b>                 | <b>Page</b> |
|--------------------------------|-------------|
| General Information -----      | 3 - 4       |
| Safety and Warranty -----      | 4 - 6       |
| Technical Specifications ----- | 6           |
| Installation -----             | 6 - 7       |
| Operation -----                | 7 - 8       |
| Maintenance -----              | 8 - 9       |
| Troubleshooting -----          | 10          |
| Parts Breakdown -----          | 11 - 12     |
| Electrical Schematics -----    | 13          |
| Notes -----                    | 14          |
| Warranty Registration -----    | 15          |



## ***General Information***

---

**Omcan Manufacturing and Distributing Company Inc., Food Machinery of America, Inc. dba Omcan and Omcan Inc. are not responsible for any harm or injury caused due to any person's improper or negligent use of this equipment. The product shall only be operated by someone over the age of 18, of sound mind, and not under the influence of any drugs or alcohol, who has been trained in the correct operation of this machine, and is wearing authorized, proper safety clothing. Any modification to the machine voids any warranty, and may cause harm to individuals using the machine or in the vicinity of the machine while in operation.**

### **CHECK PACKAGE UPON ARRIVAL**

Upon receipt of an Omcan shipment please inspect for external damage. If no damage is evident on the external packaging, open carton to ensure all ordered items are within the box, and there is no concealed damage to the machine. If the package has suffered rough handling, bumps or damage (visible or concealed), please note it on the bill of lading before accepting the delivery and contact Omcan within 24 hours, so we may initiate a claim with the carrier. A detailed report on the extent of the damage caused to the machine must be filled out within three days, from the delivery date shown in the shipping documents. Omcan has no recourse for damaged products that were shipped collect or third party.

**Before operating any equipment, always read and familiarize yourself with all operation and safety instructions.**

**Omcan would like to thank you for purchasing this machine. It's of the utmost importance to save these instructions for future reference. Also save the original box and packaging for shipping the equipment if servicing or returning of the machine is required.**

---

**Omcan Fabrication et distribution Compagnie Limitée et Food Machinery d'Amérique, dba Omcan et Omcan Inc. ne sont pas responsables de tout dommage ou blessure causé du fait que toute personne ait utilisé cet équipement de façon irrégulière. Le produit ne doit être exploité que par quelqu'un de plus de 18 ans, sain d'esprit, et pas sous l'influence d'une drogue ou d'alcool, qui a été formé pour utiliser cette machine correctement, et est vêtu de vêtements de sécurité appropriés. Toute modification de la machine annule toute garantie, et peut causer un préjudice à des personnes utilisant la machine ou des personnes à proximité de la machine pendant son fonctionnement.**

### **VÉRIFIEZ LE COLIS DÈS RÉCEPTION**

Dès réception d'une expédition d'Omcan veuillez inspecter pour dommages externes. Si aucun dommage n'est visible sur l'emballage externe, ouvrez le carton afin de s'assurer que tous les éléments commandés sont dans la boîte, et il n'y a aucun dommage dissimulé à la machine. Si le colis n'a subi aucune mauvaises manipulations, de bosses ou de dommages (visible ou cachée), notez-le sur le bond de livraison avant d'accepter la livraison et contactez Omcan dans les 24 heures qui suivent, pour que nous puissions engager une réclamation auprès du transporteur. Un rapport détaillé sur l'étendue des dommages causés à la machine doit être rempli dans un délai de trois jours, à compter de la date de livraison indiquée dans les documents d'expédition. Omcan n'a aucun droit de recours pour les produits endommagés qui ont été expédiés ou cueillis par un tiers transporteur.

**Avant d'utiliser n'importe quel équipement, toujours lire et vous familiariser avec toutes les opérations et les**

## ***General Information***

---

consignes de sécurité.

Omcan voudrais vous remercier d'avoir choisi cette machine. Il est primordial de conserver ces instructions pour une référence ultérieure. Également conservez la boîte originale et l'emballage pour l'expédition de l'équipement si l'entretien ou le retour de la machine est nécessaire.

Omcan Empresa De Fabricacion Y Distribucion Inc. Y Maquinaria De Alimentos De America, Inc. dba Omcan y Omcan Inc. no son responsables de ningun daño o perjuicio causado por cualquier persona inadecuada o el uso descuidado de este equipo. El producto solo podra ser operado por una persona mayor de 18 años, en su sano juicio y no bajo alguna influencia de droga o alcohol, y que este ha sido entrenado en el correcto funcionamiento de esta máquina, y ésta usando ropa apropiada y autorizada. Cualquier modificación a la máquina anula la garantía y puede causar daños a las personas usando la máquina mientras esta en el funcionamiento.

### **REVISE EL PAQUETE A SU LLEGADA**

Tras la recepcion de un envio Omcan favor inspeccionar daños externos. Si no hay daños evidentes en el empaque exterior, Habra el carton para asegurarse que todos los articulos solicitados estén dentro de la caja y no encuentre daños ocultos en la máquina. Si el paquete ha sufrido un manejo de poco cuidado, golpes o daños (visible o oculto) por favor anote en la factura antes de aceptar la entrega y contacte Omcan dentro de las 24 horas, de modo que podamos iniciar una reclamación con la compañía. Un informe detallado sobre los daños causados a la máquina debe ser llenado en el plazo de tres días, desde la fecha de entrega que se muestra en los documentos de envío. Omcan no tiene ningun recurso por productos dañados que se enviaron a recoger por terceros.

**Antes de utilizar cualquier equipo, siempre lea y familiarizarse con todas las instrucciones de funcionamiento y seguridad.**

Omcan le gustaría darle las gracias por la compra de esta máquina. Es de la mayor importancia para salvar estas instrucciones para futuras consultas. Además, guarda la caja original y el embalaje para el envío del equipo si servicio técnico o devolución de la máquina que se requiere.

## ***Safety and Warranty***

---

**READ THE INSTRUCTIONS CAREFULLY. INCORRECT ASSEMBLY AND PARTS REPLACEMENT MAY DAMAGE THE PRODUCT OR CAUSE INJURY TO PERSONS. INTENTIONAL DAMAGE TO THE DEVICE, NEGLIGENCE, DAMAGE CAUSED BY FAILURE TO COMPLY WITH INSTRUCTIONS AND REGULATIONS, OR IMPROPER CONNECTIONS NOT UNDER THE RESPONSIBILITY OF OUR COMPANY. UNAUTHORIZED INTERVENTION TO THE DEVICE WILL VOID THE WARRANTY OF THE PRODUCT.**

1. Keep this manual handy in a safe place for future reference for other operators.
2. The device must be installed by authorized personnel in accordance with the current regulations and



## ***Safety and Warranty***

---

instructions in the country of use.

3. This device must be used by trained persons.
4. Switch off the device in case of malfunction. The device must only be serviced by a service center authorized by the manufacturer. Ask for original spare parts.

### **WARNING:**

- This device must be installed in accordance with current legislation and must only be used in a well ventilated area. Refer to the instructions before installing and using this device.
- Improper installation, adjustment, replacement, service or maintenance can cause property damage, injury or death. Read the installation, use and maintenance instructions before installing or servicing this equipment.

**FOR YOUR SAFETY: do not use or store gasoline or other flammable gases or liquids inside the device.**

### **GENERAL WARNINGS**

- Do not use the device in premises without adequate lighting.
- Never touch moving parts while using the device.
- Do not install the device close to flammable and explosive atmospheres.
- Do not run the device idle.
- Do not load too much above/below the capacity of the device.
- Do not interfere with the device without appropriate protective equipment.
- In case of fire, flame flashes, etc. in the area where the device is used for any reason, quickly close the gas valves and electrical switches (if any) and use a fire extinguisher. Never use water to extinguish the flame.
- Damage caused by lack of grounding connection will not be covered under warranty.
- Do not insert your hand into the shredding chamber while the appliance is running.

### **IMPORTANT**

Make sure that all paper protection and packaging is removed before operating the device. Be careful. This device must only be installed in the closed position.

**WARNING: the device must be used by trained person.**

**RESIDENTIAL USERS: vendor assumes no liability for parts or labor coverage for component failure or other damages resulting from installation in non-commercial or residential applications. The right is reserved to deny shipment for residential usage; if this occurs, you will be notified as soon as possible.**

### **1 YEAR PART AND LABOUR WARRANTY**

Within the warranty period, contact Omcan Inc. at 1-800-465-0234 to schedule an Omcan authorized service technician to repair the equipment locally.

Unauthorized maintenance will void the warranty. Warranty covers electrical and part failures, not improper use.

## Safety and Warranty

---

Please see <https://omcan.com/disclaimer> for complete info.

### WARNING:

The packaging components (cardboard, polyethylene, and others) are classified as normal solid urban waste and can therefore be disposed of without difficulty.

In any case, for suitable recycling, we suggest disposing of the products separately (differentiated waste) according to the current norms.

**DO NOT DISCARD ANY PACKAGING MATERIALS IN THE ENVIRONMENT!**

## Technical Specifications

---

|                      |                                         |
|----------------------|-----------------------------------------|
| Model                | FP-TR-0015                              |
| Item Number          | 48282                                   |
| Capacity             | 15 L / 3.96 Gal                         |
| Power                | 1 - 1.7 kW                              |
| Electrical           | 208V / 60Hz / 3                         |
| Current              | 13.5A                                   |
| Net Dimensions (DWH) | 13.9" x 24.4" x 27" / 353 x 619 x 685mm |
| Net Weight           | 101.4 lbs. / 46 kgs.                    |
| Packaging Weight     | 125.7 lbs. / 57 kgs.                    |

## Installation

---

### TRANSPORT

- This device can be carried by two or more people. Do not bump or drop the device while carrying it.

### OPEN PACKAGE

- The appliance must be opened and the packaging disposed of according to the regulations in the country of use. Parts in contact with food are made of stainless steel. All plastic parts are marked with the material

## Installation

symbol.

- The parts of the device are complete and have not been damaged during transportation check that it is not damaged.

### ASSEMBLY

- Place the product on a flat and solid ground, take necessary precautions against tipping risks.
- The personnel who will provide installation and service to the device must be experts in their field and have an installation-service license by our company.
- Connection to the electrical power supply must be made by an authorized person.
- Make sure that the voltage you connect the device to is the same as the voltage value written on the device label.

**Note: the grounding connection of the device must be made in accordance with standards and safety regulations.**

- The grounding of the device must be connected to the grounding line in the nearest panel of the electrical installation.
- The main fuse and residual current fuse of the electrical connection of the device must be made according to the regulations and rules in force.

## Operation


### DEVICE USE

#### CONTROL PANEL

- A: TIME SETTING.  
B: START.  
C: STOP.  
D: SPEED SETTING.

### USAGE

- Clean the shredding chamber and blade with a wet cloth before switching on the device.
- Ensure that the pin on the cutting blade of the device engages in the groove on the shaft.
- Open the top cover of the appliance and fill the ingredients into the vegetable hopper.
- Press the START button to start the appliance.
- If the device will operate on 208 V, make sure that it operates in the direction of the arrow when plugging in the plug during the first operation. If it does not work in the direction of the arrow, this is a sign that the electrical was not installed correctly. If this is the case, a certified electrician will need to be contacted to correctly change the phases from the plug.
- If it is desired to add material (solid, liquid) without opening the cover while the device is running, solid



# Operation

materials can be added through the cover opening after the solid materials are cut into small pieces.

- Since the device is dual-speed, it will operate at the desired speed after a certain period of time after being switched to (1) for slow operation and (2) for fast operation.
- If the device is operated without selecting the time period, stop the device by pressing the STOP button after the vegetable shredding process is finished.
- Lift the lid and remove the shredding blade to empty the material. Tilt the boiler on its side by turning the tilt lever down.
- After the emptying process is completed, lift the boiler handle upwards and place the boiler in the upright position.
- Unplug the appliance from the socket when you are finished with it.

## PRODUCTION CAPACITY

| Task                    | Approximate Product Capacity | Approximate Time |
|-------------------------|------------------------------|------------------|
| Hummus, purees, pastes. | 6.6 lbs. / 3 kgs.            | 4 - 5 minutes    |
| Chop onions.            | 17.6 lbs. / 8 kgs.           | 1 - 2 minutes    |
| Mixing yogurt.          |                              | 2 - 3 minutes    |
| Process vegetables.     |                              |                  |
| Soup prep.              |                              |                  |
| Tomato paste prep.      |                              |                  |
| Sauce prep.             |                              | 4 - 5 minutes    |
| Marmalade prep.         |                              |                  |

# Maintenance

## CLEANING AND MAINTENANCE

### THINGS TO DO AFTER EACH USE

- Clean the exterior of the appliance, the bowl and the cutting blade with a wet cloth, then wipe dry.
- When cleaning the appliance, make sure that the plug is not in the socket or that the switch is switched off.
- Do not use acids and derivatives for cleaning the device.
- When cleaning the device, do not wash the device with water. Otherwise, water will get into the electric motor and cause it to burn.

### WHAT SHOULD BE DONE PERIODICALLY



- Maintenance should only be carried out by trained persons.
- Perform periodic maintenance of the device every 15 days.

# Maintenance

- Vegetable Shredders require minimal maintenance (motor and bearings are lubricated).
- Depending on the frequency of use, the contactor maintenance of the device should be carried out by spraying dry air after disconnecting the power supply.

## MAINTENANCE OF THE CUTTING BLADE

- Sharpen the blade using a wet sharpening stone without disturbing the cutting angles.




# Troubleshooting

| Problem                                                                                                                                    | Possible Solution                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| The device is not working.                                                                                                                 | Check that the device is plugged in.                                                                                                                   |
|                                                                                                                                            | Check the electrical connections.                                                                                                                      |
|                                                                                                                                            | Check whether the cover is open.                                                                                                                       |
| Strange sound coming from the machine.                                                                                                     | Check the shredding blade.                                                                                                                             |
|                                                                                                                                            | Check for material jams in the hopper.                                                                                                                 |
|                                                                                                                                            | If there is noise coming from the engine, stop the device and call the authorized service center.                                                      |
| The device stops.                                                                                                                          | The device may stop due to low voltage. In this case, check the voltage.                                                                               |
|                                                                                                                                            | The appliance may stop when loaded over capacity. In this case, drain some of the material from the bowl and allow the motor to cool down for a while. |
| If the vegetable shredding is not done with appropriate quality, or if any of the safety functions are not working. Do not use the device. |                                                                                                                                                        |

If the above problems still persist, please contact our authorized services.

## Parts Breakdown

**Model FP-TR-0015** 48282





# Parts Breakdown

## Model FP-TR-0015 48282

| Item No. | Description                       | Position | Item No. | Description                        | Position | Item No. | Description                      | Position |
|----------|-----------------------------------|----------|----------|------------------------------------|----------|----------|----------------------------------|----------|
| AS559    | Body Hinge Sheet for 48282        | 1        | AS575    | Green Illuminated Button for 48282 | 17       | AS591    | Barrel Shaft for 48282           | 33       |
| AS560    | Cover Hinge Sheet for 48282       | 2        | AS576    | Time Clock for 48282               | 18       | AS592    | Magnetic Sensor for 48282        | 34       |
| AS561    | Handle 2 for 48282                | 3        | AS577    | Auxiliary Contact for 48282        | 19       | AS593    | Boiler Bottom Plastic for 48282  | 35       |
| AS562    | Hinge Shaft for 48282             | 4        | AS578    | 110V Contactor for 48282           | 20       | AS594    | Hover Folding for 48282          | 36       |
| AS563    | Hinge Connection Sheet for 48282  | 5        | AS579    | Motor Protection Switch for 48282  | 21       | AS595    | (6004 2RS) Bearing for 48282     | 37       |
| AS564    | Boiler Cover for 48282            | 6        | AS580    | Panel Back Sheet for 48282         | 22       | AS596    | 20x42x10 Seal for 48282          | 38       |
| AS565    | Cover Sheet for 48282             | 7        | AS581    | Plastic Scraper for 48282          | 23       | AS597    | Cover Latch for 48282            | 40       |
| AS566    | Cover Gasket for 48282            | 8        | AS582    | Foot for 48282                     | 24       | AS598    | Knife Set for 48282              | 41       |
| AS567    | Winner for 48282                  | 9        | AS583    | Motor for 48282                    | 25       | AS599    | Blade Aluminum Body for 48282    | 42       |
| AS568    | Civic for 48282                   | 10       | AS584    | Motor Pulley for 48282             | 26       | AS600    | Thick Blade Aluminum for 48282   | 43       |
| AS569    | Button for 48282                  | 11       | AS585    | (13x850) Belt for 48282            | 27       | AS601    | Knife Stabbing for 48282         | 44       |
| AS570    | Half Moon Button Socket for 48282 | 12       | AS586    | Sewer Basin for 48282              | 28       | AS602    | Thin Blade Aluminum for 48282    | 45       |
| AS571    | Square Button Socket for 48282    | 13       | AS587    | 25x52x10 Seal for 48282            | 29       | AS603    | Knife for 48282                  | 46       |
| AS572    | Tag for 48282                     | 14       | AS588    | Piston Ring (471-25) for 48282     | 30       | AS604    | Body Bushing for 48282           | 47       |
| AS573    | Switch for 48282                  | 15       | AS589    | Piston Ring (472-52) for 48282     | 31       | AS605    | Knife Holding Aluminum for 48282 | 48       |
| AS574    | Red Illuminated Button for 48282  | 16       | AS590    | (6205 2RS) Bearing for 48282       | 32       |          |                                  |          |

# Electrical Schematics

## Model FP-TR-0015 48282



## Notes

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.



## Warranty Registration

Thank you for purchasing an Omcan product. To register your warranty for this product, complete the information below, tear off the card at the perforation and then send to the address specified below. You can also register online by visiting:

Merci d'avoir acheté un produit Omcan. Pour enregistrer votre garantie pour ce produit, complétez les informations ci-dessous, détachez la carte au niveau de la perforation, puis l'envoyer à l'adresse spécifiée ci-dessous. Vous pouvez également vous inscrire en ligne en visitant:

Gracias por comprar un producto Omcan usted. Para registrar su garantía para este producto, complete la información a continuación, cortar la tarjeta en la perforación y luego enviarlo a la dirección indicada a continuación. También puede registrarse en línea en:

***<https://omcan.com/warranty-registration/>***

**For mailing in Canada**

**Pour postale au Canada**

**Por correo en Canadá**

**OMCAN**

**PRODUCT WARRANTY REGISTRATION**

3115 Pepper Mill Court,  
Mississauga, Ontario  
Canada, L5L 4X5

**For mailing in the US**

**Pour diffusion aux États-Unis**

**Por correo en los EE.UU.**

**OMCAN**

**PRODUCT WARRANTY REGISTRATION**

4450 Witmer Industrial Estates, Unit 4,  
Niagara Falls, New York  
USA, 14305

***or email to: [service@omcan.com](mailto:service@omcan.com)***



### Purchaser's Information

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ Province or State: \_\_\_\_\_ Postal or Zip: \_\_\_\_\_

Country: \_\_\_\_\_

Dealer from which Purchased: \_\_\_\_\_

Dealer City: \_\_\_\_\_ Dealer Province or State: \_\_\_\_\_

Invoice: \_\_\_\_\_

Company Name: \_\_\_\_\_

Telephone: \_\_\_\_\_

Email Address: \_\_\_\_\_

Type of Company:

☐ Restaurant ☐ Bakery ☐ Deli

☐ Butcher ☐ Supermarket ☐ Caterer

☐ Institution (*specify*): \_\_\_\_\_

☐ Other (*specify*): \_\_\_\_\_

Model Name: \_\_\_\_\_ Model Number: \_\_\_\_\_ Serial Number: \_\_\_\_\_

Machine Description: \_\_\_\_\_

Date of Purchase (MM/DD/YYYY): \_\_\_\_\_ Date of Installation (MM/DD/YYYY): \_\_\_\_\_

Would you like to extend the warranty? ☐ Yes ☐ No

**Thank you for choosing Omcan | Merci d'avoir choisi Omcan | Gracias por elegir Omcan**



Since 1951 Omcan has grown to become a leading distributor of equipment and supplies to the North American food service industry. Our success over these many years can be attributed to our commitment to strengthen and develop new and existing relationships with our valued customers and manufacturers. Today with partners in North America, Europe, Asia and South America, we continually work to improve and grow the company. We strive to offer customers exceptional value through our qualified local sales and service representatives who provide convenient access to over 6,500 globally sourced products.

---

Depuis 1951 Omcan a grandi pour devenir un des “leaders” de la distribution des équipements et matériel pour l’industrie des services alimentaires en Amérique du Nord. Notre succès au cours de ces nombreuses années peut être attribué à notre engagement à renforcer et à développer de nouvelles et existantes relations avec nos clients et les fabricants de valeur. Aujourd’hui avec des partenaires en Amérique du Nord, Europe, Asie et Amérique du Sud, nous travaillons continuellement à améliorer et développer l’entreprise. Nous nous efforçons d’offrir à nos clients une valeur exceptionnelle grâce à nos ventes locales qualifiées et des représentants de service qui offrent un accès facile à plus de 6500 produits provenant du monde entier.

---

Desde 1951 Omcan ha crecido hasta convertirse en un líder en la distribución de equipos y suministros de alimentos en América del Norte industria de servicios. Nuestro éxito en estos años se puede atribuir a nuestro compromiso de fortalecer y desarrollar nuevas relaciones existentes con nuestros valiosos clientes y fabricantes. Hoy con socios de América del Norte, Europa, Asia y América del Sur, que trabajan continuamente para mejorar y crecer la empresa. Nos esforzamos por ofrecer a nuestros clientes valor excepcional a través de nuestro local de ventas y representantes de los servicios que proporcionan un fácil acceso a más de 6,500 productos con origen a nivel mundial.

