

Trento Grinders

FOUR SIZES · RESIDENTIAL & COMMERCIAL DUTY

11029

MG-IT-0008

#8 · LIGHT-DUTY

41419

MG-IT-0012

#12 · MODERATE-DUTY

41421

MG-IT-0022

#22 · MODERATE-DUTY

11013

MG-IT-0032

#32 · HEAVY-DUTY

Four Grinders, One Trusted Range

Trento Grinders bring together four dedicated sizes — from a compact residential countertop model to a heavy-duty commercial workhorse — each engineered in Italy for reliable, consistent output. Every model shares the same fundamentals: a rugged cast housing, a wide stainless hopper, and a motor sized specifically for its own duty class, so operators can match the right grinder to the right volume of work.

From light-duty countertop use through heavy-duty commercial production, the range spans 0.45 HP to 1.5 HP with a throat opening sized for a steady, even grind at every level. Each unit ships ready to install, with the plug and certification appropriate to its electrical draw.

FEATURES

- Four duty classes in one family — light-duty residential through heavy-duty commercial
- Motors ranging from 0.45 HP (370 W) to 1.5 HP (1100 W), matched to each model's duty rating
- Throat opening scaled to duty class, from 2.22" (56 mm) up to 3.54" (90 mm)
- Compact footprint with a stable, tool-free base
- Individually certified and rated for standard 110V single-phase service



#8 · Light-Duty

11029 · MG-IT-0008



#12 · Moderate-Duty

41419 · MG-IT-0012



#22 · Moderate-Duty

41421 · MG-IT-0022



#32 · Heavy-Duty

11013 · MG-IT-0032

1-833-487-3686

www.trentoequipment.com

sales@trentoequipment.com

Follow us on social media

@trentoequipment



AUTHORIZED DEALER



**1 Year
Labor Warranty**



**1 Year
Parts Warranty**




**Made in
Italy**

Technical Specification				
				
Model Class	#8 · Light-Duty	#12 · Moderate-Duty	#22 · Moderate-Duty	#32 · Heavy-Duty
Item	11029	41419	41421	11013
Model	MG-IT-0008	MG-IT-0012	MG-IT-0022	MG-IT-0032
Series	Residential Trento	Commercial Trento	Commercial Trento	Commercial Trento
HP	0.45 HP	0.6 HP	1.25 HP	1.5 HP
Motor Size	370 W	440 W	920 W	1100 W
RPM	150	100	100	110
Throat Opening	2.22" (56 mm)	2.44" (62 mm)	2.91" (74 mm)	3.54" (90 mm)
Electrical	110V • 60Hz • 1Ph	110V • 60Hz • 1Ph	110V • 60Hz • 1Ph	110V • 60Hz • 1Ph
Certification	 cCSAus	 cCSAus	 cCSAus	 QPS Approved
Plug Type	 NEMA 5-15P 125V / 15A	 NEMA 5-15P 125V / 15A	 NEMA 5-15P 125V / 15A	 NEMA 5-20P 125V / 20A
Ships By	Parcel	Parcel	Parcel	 Freight
Net Weight	25 lb (11.3 kg)	27 lb (12.2 kg)	40 lb (18.1 kg)	77 lb (34.9 kg)
Net Dimensions (WDH)	18.30" x 8.07" x 15.75" (465 x 205 x 400 mm)	19.29" x 9.49" x 15.35" (490 x 241 x 390 mm)	19.88" x 9.45" x 15.75" (505 x 240 x 400 mm)	22.44" x 11" x 17" (570 x 279 x 433 mm)


Dimensions rounded to the nearest tenth inch/mm · Specifications subject to change without notice.

Technical Drawing




11029

MG-IT-0008 · #8 · Light-Duty




41419

MG-IT-0012 · #12 · Moderate-Duty



41421

MG-IT-0022 · #22 · Moderate-Duty



11013

MG-IT-0032 · #32 · Heavy-Duty

Dimensions rounded to the nearest tenth inch/mm · Specifications subject to change without notice.