Standard 18 Gauge 430 Stainless Steel Worktables with Backsplash

ITEM: **22078** **22079** **22080** **22081** **22082** **22083** **22084** **22085** **22086** **22087** **22088** **22089** **22090** **22091** **22092**

A standard 18 gauge stainless steel worktable with a built-in 4″ backsplash.

The 18 gauge 430 stainless steel top has a built-in backsplash that keeps spills and debris from falling behind the table. Support channels are secured with bolts and acorn-style nuts, the galvanized undershelf is reinforced with welded V-pipe leg supports, and each leg is secured by a single set screw. Plastic bullet feet level the table. Available in 24″ and 30″ depths.

- **18 gauge 430 stainless steel top**
- **4″ backsplash**
- **Galvanized undershelf and legs**
- **Welded V-pipe undershelf supports**
- **Single set-screw legs**
- **Plastic bullet feet**
- **Easy to clean**
- **NSF certified**



22078 24″ x 24″



22085 24″ x 96″



22092 30″ x 96″

AT A GLANCE

Material	18 gauge 430 stainless steel top with 4″ backsplash; galvanized undershelf (welded V-pipe supports) and legs; plastic bullet feet
Available Sizes (D x W)	24″ deep: 24″, 30″, 36″, 48″, 60″, 72″, 84″, 96″ wide 30″ deep: 30″, 36″, 48″, 60″, 72″, 84″, 96″ wide
Working Height	34″ (864 mm), 34 1/2″ (876 mm)
Overall Height	38 1/2″ (978 mm)
Certification	NSF
Warranty	180 Days Limited

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com

AUTHORIZED DEALER

NSF Certified

180 Days Limited Warranty

MODELS AND CAPACITIES

Item	Size (D x W)	Legs	Load Capacity	Spare Undershelf	Leg Brace
24" DEPTH					
22078	24" x 24" (610 x 610 mm)	4	485 lb (220 kg)	22093	–
22079	24" x 30" (610 x 762 mm)	4	529 lb (240 kg)	22094	–
22080	24" x 36" (610 x 914 mm)	4	573 lb (259.9 kg)	22095	–
22081	24" x 48" (610 x 1219 mm)	4	606 lb (274.9 kg)	22096	–
22082	24" x 60" (610 x 1524 mm)	4	650 lb (294.8 kg)	22097	38036
22083	24" x 72" (610 x 1829 mm)	4	705 lb (319.8 kg)	22098	38037
22084	24" x 84" (610 x 2134 mm)	6	1,036 lb (469.9 kg)	22099	39033
22085	24" x 96" (610 x 2438 mm)	6	1,102 lb (499.9 kg)	22100	39034
30" DEPTH					
22086	30" x 30" (762 x 762 mm)	4	551 lb (249.9 kg)	22101	–
22087	30" x 36" (762 x 914 mm)	4	595 lb (269.9 kg)	22102	–
22088	30" x 48" (762 x 1219 mm)	4	639 lb (289.9 kg)	22103	39384
22089	30" x 60" (762 x 1524 mm)	4	679 lb (308 kg)	22104	39385
22090	30" x 72" (762 x 1829 mm)	4	750 lb (340.2 kg)	22105	39386
22091	30" x 84" (762 x 2134 mm)	6	1,091 lb (494.9 kg)	22106	39387
22092	30" x 96" (762 x 2438 mm)	6	1,157 lb (524.8 kg)	22107	39388

OPTIONAL ACCESSORIES

Spare undershelves and galvanized leg braces are listed by item in the table above.

23988 48" 18 Gauge 430 Stainless Steel Double Deck Overshelf

47599 5" Caster (without Brake) for Worktables, Equipment Stands and Steam Tables

23989 60" 18 Gauge 430 Stainless Steel Double Deck Overshelf

23990 72" 18 Gauge 430 Stainless Steel Double Deck Overshelf

23520 Adjustable Bullet Foot for Worktable -Plastic Inside and Stainless Steel Outside

24579 Drawer for 30" Worktables

39313 Stainless Steel Bullet Foot for Worktable

44616 48" 18 Gauge 430 Stainless Steel Single Deck Overshelf

14395 5" Caster with Brake for Worktables, Equipment Stands and Steam Tables

44617 60" 18 Gauge 430 Stainless Steel Single Deck Overshelf

44618 72" 18 Gauge 430 Stainless Steel Single Deck Overshelf


24578 Drawer for 24" Worktables

23510 Plastic Bullet Foot for Worktable

44279 Undershelf for 24" x 48" Poly Top Tables

22078 | 24″ X 24″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22078	24″ x 24″ (610 x 610 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	485 lb (220 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22079 | 24″ X 30″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22079	24″ x 30″ (610 x 762 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	529 lb (240 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22080 | 24″ X 36″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22080	24″ x 36″ (610 x 914 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	573 lb (259.9 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22081 | 24″ X 48″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22081	24″ x 48″ (610 x 1219 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	606 lb (274.9 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22082 | 24″ X 60″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22082	24″ x 60″ (610 x 1524 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	650 lb (294.8 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22083 | 24″ X 72″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22083	24″ x 72″ (610 x 1829 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	705 lb (319.8 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22084 | 24″ X 84″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22084	24″ x 84″ (610 x 2134 mm)	34″ (864 mm)	38 1/2″ (978 mm)	6	1,036 lb (469.9 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22085 | 24″ X 96″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22085	24″ x 96″ (610 x 2438 mm)	34″ (864 mm)	38 1/2″ (978 mm)	6	1,102 lb (499.9 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22086 | 30″ X 30″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22086	30″ x 30″ (762 x 762 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	551 lb (249.9 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22087 | 30″ X 36″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22087	30″ x 36″ (762 x 914 mm)	34 1/2″ (876 mm)	38 1/2″ (978 mm)	4	595 lb (269.9 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22088 | 30″ X 48″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22088	30″ x 48″ (762 x 1219 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	639 lb (289.9 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22089 | 30″ X 60″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22089	30″ x 60″ (762 x 1524 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	679 lb (308 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22090 | 30″ X 72″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22090	30″ x 72″ (762 x 1829 mm)	34″ (864 mm)	38 1/2″ (978 mm)	4	750 lb (340.2 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22091 | 30″ X 84″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22091	30″ x 84″ (762 x 2134 mm)	34″ (864 mm)	38 1/2″ (978 mm)	6	1,091 lb (494.9 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

22092 | 30″ X 96″ 18 GAUGE 430 STAINLESS STEEL WORK TABLE WITH 4″ BACKSPLASH

ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY
22092	30″ x 96″ (762 x 2438 mm)	34″ (864 mm)	38 1/2″ (978 mm)	6	1,157 lb (524.8 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.