



Grab-and-Go Refrigeration

SERVING THE FOOD INDUSTRY SINCE 1951

24" Grab-and-Go Open Refrigerated Floor Self-Serve Display Case with 9cu.ft. (252L) Capacity, Silver - 110V, 138 W

ITEM: 31809

MODEL: RS-CN-0200



Display products on the go. Its slim size makes this ideal for places with limited space.

This open refrigerated floor display case is ideal for restaurants, cafes, and bakeries. It is perfect for your customers to easily see what products are for sale – featuring its crystal clear glass design with digital temperature controls for precision.

FEATURES:

- **Sleek Design**
this merchandiser pairs a durable structure with a user-friendly design while maintaining high product visibility and aesthetics.
- **Adjustable Shelves with Curtain**
Features a pull-down curtain and adjustable shelf positions.
- **R290 Refrigerant**
Powerful, and environmentally safe refrigeration system. to keep your products at safe temperatures.
- **LED Lighting System**
Our LED system uses a fraction of the energy of regular fluorescent lights, and its interior lighting brings highlights to your products.
- **Casters and Stand**
For easy mobility, making it simpler to move, install, and clean the unit. They also help protect flooring and improve flexibility in space management.

Available in Canada only.

Telephone: 1-800-465-0234


Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Authorized Dealer




(Version 2024.07)

Page 1 / 3

FEATURES

Condenser located on the back, ensures sufficient space for air cooling



condenser fan motor built in front for easy access



Equipped with digital display, hidden casters & two adjustable feet



TECHNICAL SPECIFICATION

Item	25825
Model	RS-CN-0250
Capacity	8.9 cu. ft. (252 L)
Number of Doors	1 Pull Down Curtain
Number of Shelves	3
Shelf Size	2pcs - 15" x 21.7" (381 x 552 mm) 1pc - 12" x 21.7" (305 x 552 mm)
Number of Casters	Yes (4)
Power	138 W
Lamp Power (LED)	1.44*4 W
Amps	14.5 A
Electrical	110V / 60Hz / 1Ph
Temperature Controller	Digital
Temperature Range	2 - 10°C (36 - 50 °F)
Refrigerant	R290
Injection	148g
Type Of Climate	6
Insulation Material	Cyclopentane
Defrosting	Automatic
Cooling System	Air Cooling
Interior Dimensions (WDH)	21.7" x 22" x 38.5" (552 x 559 x 978 mm)
Net Weight	220.5 lb. (100 kg.)
Net Dimensions (WDH)	24" x 29.7" x 67" (610 x 754 x 1704 mm)
Gross Weight	243 lb. (110 kg.)
Gross Dimensions (WDH)	27" x 33" x 74" (691 x 830 x 1875 mm)
Plug Type	NEMA 5-15P

TECHNICAL DRAWING

