# 16 Gauge 430 Solid Poly Top Tables with Backsplash

ITEM: **41247** **41275** **41277** **41279** **41281**

## A poly top table frame with a 6″ stainless steel backsplash.

A 16 gauge 430 stainless steel 6″ backsplash sits on a stainless steel tubing frame with stainless steel sockets. The 18 gauge 430 stainless steel undershelf uses aluminum sockets, and the stainless steel legs stand on stainless steel bullet feet. Poly cutting boards are sold separately.

- **16 gauge 430 stainless steel 6″ backsplash**
- **Stainless steel tubing frame**
- **18 gauge 430 stainless steel undershelf**
- **Aluminum undershelf sockets**
- **Stainless steel legs and bullet feet**
- **Poly cutting boards sold separately**
- **NSF certified**



**41247** 24″ x 48″



**41277** 30″ x 48″



**41281** 30″ x 72″

## AT A GLANCE

| | |
|---|---|
| **Material** | 16 gauge 430 stainless steel 6″ backsplash; stainless steel tubing frame and sockets; 18 gauge 430 stainless steel undershelf with aluminum sockets; stainless steel legs and bullet feet |
| **Available Sizes (D x W)** | 24″ deep: 48″ wide<br>30″ deep: 36″, 48″, 60″, 72″ wide |
| **Frame Height** | 35.21″ (894 mm) |
| **Overall Height** | 42″ (1067 mm) |
| **Working Height with Board** | 36″ (914 mm) with a 20 mm (0.79″) poly board installed (board sold separately) |
| **Certification** | NSF |
| **Warranty** | 180 Days Limited |

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com

AUTHORIZED DEALER

NSF Certified

180 Days Limited Warranty

## MODELS AND CAPACITIES

| Item | Size (D x W) | Legs | Load Capacity | Undershelf Capacity | Net Weight | Spare Undershelf |
|---|---|---|---|---|---|---|
| **24" DEPTH** | | | | | | |
| **41247** | 24" x 48" (610 x 1219 mm) | 4 | 600 lb (272.2 kg) | 440 lb (199.6 kg) | 53 lb (24 kg) | 44279 |
| **30" DEPTH** | | | | | | |
| **41275** | 30" x 36" (762 x 914 mm) | 4 | 600 lb (272.2 kg) | 440 lb (199.6 kg) | 48.4 lb (22 kg) | 44280 |
| **41277** | 30" x 48" (762 x 1219 mm) | 4 | 700 lb (317.5 kg) | 465 lb (210.9 kg) | 57.2 lb (25.9 kg) | 44281 |
| **41279** | 30" x 60" (762 x 1524 mm) | 4 | 800 lb (362.9 kg) | 490 lb (222.3 kg) | 66 lb (29.9 kg) | 44282 |
| **41281** | 30" x 72" (762 x 1829 mm) | 4 | 900 lb (408.2 kg) | 520 lb (235.9 kg) | 75 lb (34 kg) | 44245 |

## OPTIONAL ACCESSORIES

Spare undershelves are listed by item in the table above.

**43196** 20" x 48" x 1" Poly Board for Poly Top Tables with Backsplash

**43198** 26" x 36" x 1" Poly Board for Poly Top Tables with Backsplash

**43200** 26" x 48" x 1" Poly Board for Poly Top Tables with Backsplash

**43202** 26" x 60" x 1" Poly Board for Poly Top Tables with Backsplash

**43204** 26" x 72" x 1" Poly Board for Poly Top Tables with Backsplash

**43195** 20" x 48" x 3/4" Poly Board for Poly Top Tables with Backsplash

**43197** 26" x 36" x 3/4" Poly Board for Poly Top Tables with Backsplash

**43199** 26" x 48" x 3/4" Poly Board for Poly Top Tables with Backsplash

**43201** 26" x 60" x 3/4" Poly Board for Poly Top Tables with Backsplash

**43203** 26" x 72" x 3/4" Poly Board for Poly Top Tables with Backsplash

## 41247 | 24″ X 48″ 16 GAUGE 430 SOLID POLY TOP TABLE WITH 6″ BACKSPLASH

| ITEM | SIZE (D X W) | FRAME HEIGHT | OVERALL HEIGHT | LEGS | LOAD CAPACITY | UNDERSHELF CAPACITY | NET WEIGHT |
|---|---|---|---|---|---|---|---|
| **41247** | 24″ x 48″<br>(610 x 1219 mm) | 35.21″<br>(894 mm) | 42″<br>(1067 mm) | 4 | 600 lb<br>(272.2 kg) | 440 lb<br>(199.6 kg) | 53 lb<br>(24 kg) |




Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

## 41275 | 30″ X 36″ 16 GAUGE 430 SOLID POLY TOP TABLE WITH 6″ BACKSPLASH

| ITEM | SIZE (D X W) | FRAME HEIGHT | OVERALL HEIGHT | LEGS | LOAD CAPACITY | UNDERSHELF CAPACITY | NET WEIGHT |
|---|---|---|---|---|---|---|---|
| **41275** | 30″ x 36″ (762 x 914 mm) | 35.21″ (894 mm) | 42″ (1067 mm) | 4 | 600 lb (272.2 kg) | 440 lb (199.6 kg) | 48.4 lb (22 kg) |




Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

## 41277 | 30″ X 48″ 16 GAUGE 430 SOLID POLY TOP TABLE WITH 6″ BACKSPLASH

| ITEM | SIZE (D X W) | FRAME HEIGHT | OVERALL HEIGHT | LEGS | LOAD CAPACITY | UNDERSHELF CAPACITY | NET WEIGHT |
|---|---|---|---|---|---|---|---|
| **41277** | 30″ x 48″ (762 x 1219 mm) | 35.21″ (894 mm) | 42″ (1067 mm) | 4 | 700 lb (317.5 kg) | 465 lb (210.9 kg) | 57.2 lb (25.9 kg) |




Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

## 41279 | 30″ X 60″ 16 GAUGE 430 SOLID POLY TOP TABLE WITH 6″ BACKSPLASH

| ITEM | SIZE (D X W) | FRAME HEIGHT | OVERALL HEIGHT | LEGS | LOAD CAPACITY | UNDERSHELF CAPACITY | NET WEIGHT |
|---|---|---|---|---|---|---|---|
| **41279** | 30″ x 60″<br>(762 x 1524 mm) | 35.21″<br>(894 mm) | 42″<br>(1067 mm) | 4 | 800 lb<br>(362.9 kg) | 490 lb<br>(222.3 kg) | 66 lb<br>(29.9 kg) |




Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

## 41281 | 30″ X 72″ 16 GAUGE 430 SOLID POLY TOP TABLE WITH 6″ BACKSPLASH

| ITEM | SIZE (D X W) | FRAME HEIGHT | OVERALL HEIGHT | LEGS | LOAD CAPACITY | UNDERSHELF CAPACITY | NET WEIGHT |
|---|---|---|---|---|---|---|---|
| **41281** | 30″ x 72″<br>(762 x 1829 mm) | 35.21″<br>(894 mm) | 42″<br>(1067 mm) | 4 | 900 lb<br>(408.2 kg) | 520 lb<br>(235.9 kg) | 75 lb<br>(34 kg) |




Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.