

Blast Chiller with Membrane Switch

ITEM:	41454	41455	41456
MODEL:	BC-CN-0003	BC-CN-0005	BC-CN-0010



Rapid and efficient

These units are designed to quickly lower the temperature of foods to minimize bacterial growth ensuring food down through the danger zone within minutes. Blast chillers also offer an advantage by rapid freezing the food which produces fewer and smaller ice crystal resulting with minimal damage to the food. Perfect for hotels, restaurants, and food operation business.

FEATURES:

- Rapid Cooling
- Eco-Friendly Materials
- Energy-Efficient



TECHNICAL SPECIFICATION

Features	25" - 3 x GN 1/2 Pans and Membrane Switch	30" - 5 x GN 1/1 Pans and Membrane Switch	31" - 10 x GN 1/1 Pans and Membrane Switch
Item	41454	41455	41456
Model	BC-CN-0003	BC-CN-0005	BC-CN-0010
Capacity	3 x GN 1/2	5 x GN 1/1	10 x GN 1/1
Power	300W	660W	1300W
Current	2.8A	6.4A	12A
Refrigerant	R290	R290	R290
Electrical	110V / 60Hz / 1Ph	110V / 60Hz / 1Ph	110V / 60Hz / 1Ph
Foaming Agent	Cyclopentane	Cyclopentane	Cyclopentane
Temperature Range	5 - 20°C / 41 - 68°F	5 - 20°C / 41 - 68°F	5 - 20°C / 41 - 68°F
Net Dimensions (WDH)	25" x 25" x 19" / 630 x 615 x 475 mm	30" x 30" x 34" / 751 x 763 x 842 mm	31" x 31" x 62" / 785 x 776 x 1564 mm
Net Weight	86 lb / 39 kg	146 lb / 66 kg	278 lb / 126 kg
Gross Dimensions (WDH)	30" x 28" x 22" / 755 x 710 x 558 mm	33" x 33" x 35" / 836 x 836 x 1610 mm	35" x 35" x 64" / 875 x 870 x 1610 mm
Gross Weight	107 lb / 48.45 kg	204 lb / 92.4 kg	337 lb / 153.1 kg

TECHNICAL DRAWING

