

Countertop Stainless Steel Electric Griddle

ITEM:	43212	43213	43214	48601	48602
MODEL:	CE-CN-0405	CE-CN-0613	CE-CN-0766	CE-CN-0914	CE-CN-1219



Heavy Duty, with Simple Construction and Reliable Service

Omcan's Countertop Electric Griddle is built with heavy-duty stainless steel, making it ideal for commercial kitchens. It heats quickly and offers a large cooking surface, supported by a thick stainless steel cooking plate for consistent performance and even heat distribution. Designed for safety and energy efficiency, it includes overheating protection, thermostat controls, and a temperature range for convenient and precise temperature management.

Additional features include stainless steel control knobs, a large removable grease tray for easy cleaning, built-in splash guards, and power/heating indicator lights, making it an easy-to-maintain solution for demanding kitchens.


- Heavy-duty stainless steel
- Quick heating
- Efficient stainless steel heating element
- 1" Thick steel cooking plate
- Durable stainless steel control knobs
- Large removable grease tray
- Steel splash-guards integrated (rear and sides)
- Power and heat indicator lights
- High output performance with energy-efficient operation
- 4" Adjustable stainless steel legs




TECHNICAL SPECIFICATION					
Features	16"	24"	30"	36"	48"
Item	43212	43213	43214	48601	48602
Model	CE-CN-0405	CE-CN-0613	CE-CN-0766	CE-CN-0914	CE-CN-1219
Cooking Area	16" x 15.5" / 406 x 394 mm	24" x 15.5" / 610 x 394 mm	30" x 15.5" / 762 x 394 mm	36" x 15.5" / 914 x 394 mm	48" x 20.5" / 1219 x 521 mm
Power	1750 W	3560 W	4500 W	10080 W	14000 W
Amps	14.6A	12.9A/14.8A	16.2A/18.9A	36A/42A	Circuit 1: 25A/30A Circuit 2: 25A/30A
Electrical	110-120V / 60Hz / 1	220V / 60Hz / 1Ph		208-240V / 60Hz / 3	208-240V / 60Hz / 1
Temperature Range	65.6 – 298.9°C / 150 – 570°F				
Net Weight	53.6 lbs/ 24.3 kgs	79.4 lbs/ 36 kgs	97 lbs/ 44 kgs	203.9 lbs/ 92.5 kgs	363.8 lbs/ 165 kgs
Gross Weight	63.7 lbs/ 28.9 kgs	91.3 lbs/ 41.4 kgs	110.2 lbs/ 50 kgs	217.8 lbs/ 98.8 kgs	396.8 lbs/ 180 kgs
Net Dimensions (WDH)	16.1" x 19.8" x 9.4" / 410 x 502 x 239 mm	24.1" x 19.8" x 9.4" / 612 x 502 x 239 mm	30.2" x 19.8" x 9.4" / 767 x 502 x 239 mm	36.3" x 19.8" x 9.4" / 921 x 502 x 239 mm	48.1" x 24.7" x 9.6" / 1223 x 627 x 243 mm
Gross Dimensions (WDH)	24" x 14" x 18" / 610 x 356 x 457 mm	28.5" x 22.9" x 13" / 724 x 582 x 330 mm	22.9" x 34.1" x 13" / 582 x 866 x 330 mm	40.6" x 22.8" x 13" / 1030 x 580 x 330 mm	51.2" x 29.9" x 18.5" / 1300 x 760 x 470 mm
Plug Type	NEMA 5-20 P	NEMA 6-20P	NEMA L6-30P	-	-

TECHNICAL DRAWING


Item: 43212/ 16"




Item: 48601/ 36"



Item: 43213/ 24"



Item: 48602/ 48"



Item: 43214/ 30"

