


Heated Pass-Through Stations

ITEM:	47510	43465	47511	47512	47513
MODEL:	DW-CN-0065	DW-CN-0085	DW-CN-0102	DW-CN-0121	DW-CN-0138
SIZE:	24"	32"	38"	44"	50"




Keep your food hot at a perfect serving temperature.

This display warmer is the perfect solution for keeping food hot, fresh, and ready to go. Ideal for convenience stores, cafeterias, and food service counters.

Designed to showcase hot food items while maintaining consistent serving temperatures, it features brilliant internal LED lighting for enhanced visibility, an adjustable temperature controller for optimal heat control, and three chrome-plated adjustable shelves to suit a variety of items. Smooth rear sliding doors ensure easy access for staff or customers, making it a convenient and efficient addition to any high-traffic food service area. The black-coated cold-rolled steel exterior is durable and easy to clean.

FEATURES

- Tempered glass
- Sleek design with interior lighting
- Chrome-plated adjustable shelves
- Adjustable divider rods
- Adjustable temperature controller & display
- Durable black-coated cold-rolled steel construction





TECHNICAL SPECIFICATION

Features	24" Warmer	32" Warmer	38" Warmer	44" Warmer	50" Warmer
Item Number	47510	43465	47511	47512	47513
Model	DW-CN-0065	DW-CN-0085	DW-CN-0102	DW-CN-0121	DW-CN-0138
Capacity	2.29 cu.ft. (65 L)	3 cu.ft. (85 L)	3.6 cu.ft. (102 L)	4.27 cu.ft. (121 L)	4.87 cu.ft. (138 L)
Lamp Power	16 W	32 W	16 W	40 W	40 W
Electrical	110 V / 60 Hz / 1 Ph	110 V / 60 Hz / 1 Ph	110 V / 60 Hz / 1 Ph	110 V / 60 Hz / 1 Ph	110 V / 60 Hz / 1 Ph
Power	1800 W	1800 W	1800 W	1800 W	1800 W
Current	15 A	15 A	15 A	15 A	15 A
Temperature Range	86°F – 194°F (30°C – 90°C)	86°F – 194°F (30°C – 90°C)	86°F – 194°F (30°C – 90°C)	86°F – 194°F (30°C – 90°C)	86°F – 194°F (30°C – 90°C)
Interior Dimensions (WDH)	22" x 22.6" x 17.5" (560 x 573 x 445 mm)	29.9" x 22.6" x 17.5" (760 x 573 x 445 mm)	35.9" x 22.6" x 17.5" (913 x 573 x 445 mm)	42" x 22.7" x 17.6" (1066 x 576 x 447 mm)	35.9" x 22.6" x 17.5" (913 x 573 x 445 mm)
Net Dimensions (WDH)	23.6" x 27.8" x 27.2" (600 x 707 x 691 mm)	31.5" x 27.8" x 27.2" (800 x 707 x 691 mm)	37.5" x 27.8" x 27.2" (953 x 707 x 691 mm)	43.5" x 27.8" x 27.2" (1106 x 707 x 691 mm)	49.6" x 27.8" x 27.2" (1259 x 707 x 691 mm)
Net Weight	86 lb (39 kg)	92.6 lb (41 kg)	108 lb (49 kg)	121.2 lb (55 kg)	143.3 lb (65 kg)
Exterior Finish	Black-coated cold-rolled steel	Black-coated cold-rolled steel	Black-coated cold-rolled steel	Black-coated cold-rolled steel	Black-coated cold-rolled steel



TECHNICAL DRAWING

ITEM 47510 • 24" WARMER





TECHNICAL DRAWINGS

ITEM 43465 • 32" WARMER





ITEM 47511 • 38" WARMER



TECHNICAL DRAWINGS

ITEM 47512 • 44" WARMER



ITEM 47513 • 50" WARMER

