20 Gauge All Stainless Steel Worktables with Backsplash

ITEM: **44335** **44336** **44337** **44338** **44339** **44340** **44341** **44342** **44343** **44344** **44345** **44346** **44347** **44348** **44349**

A stainless steel prep station with a 4" backsplash to keep walls clean behind the work surface.

These worktables are made entirely of 20 gauge 430 stainless steel, including the top with its 4" backsplash, the undershelf, hat channel, legs, sockets and bullet feet. The 34" working height suits food prep and holding countertop equipment, and the smooth stainless surfaces are easy to clean. Available in 24" and 30" depths, from 24" to 96" wide.

- **All 20 gauge 430 stainless steel**
- **4" backsplash**
- **Stainless steel undershelf included**
- **34" working height, 38" overall**
- **Bullet feet for levelling**
- **NSF certified**
- **Easy installation**
- **Easy to clean**



44335 24" x 24"



44346 30" x 60"



44349 30" x 96"

AT A GLANCE

Material	20 gauge 430 stainless steel (top, undershelf, hat channel, legs, sockets, bullet feet)
Available Sizes (D x W)	24" deep: 24", 30", 36", 48", 60", 72", 84", 96" wide 30" deep: 30", 36", 48", 60", 72", 84", 96" wide
Working Height	34" (864 mm)
Backsplash Height	4" (102 mm)
Overall Height	38" (965 mm)
Certification	NSF
Warranty	180 Days Limited

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com

AUTHORIZED DEALER

NSF Certified

180 Days Limited Warranty

MODELS AND CAPACITIES

Item	Size (D x W)	Legs	Load Capacity	Undershelf Capacity	Net Weight	Spare Undershelf	Leg Brace
24″ DEPTH							
44335	24″ x 24″	4	793.7 lb (360 kg)	300 lb (136 kg)	30 lb (13.6 kg)	21607	–
44336	24″ x 30″	4	881.8 lb (400 kg)	350 lb (158.75 kg)	35 lb (15.87 kg)	21608	–
44337	24″ x 36″	4	948 lb (430 kg)	400 lb (181.4 kg)	40 lb (18.14 kg)	21609	–
44338	24″ x 48″	4	1025.1 lb (465 kg)	450 lb (204.1 kg)	50 lb (22.67 kg)	21610	38035
44339	24″ x 60″	4	1058.2 lb (480 kg)	480 lb (217.7 kg)	59 lb (26.76 kg)	21611	38036
44340	24″ x 72″	4	1102.3 lb (500 kg)	500 lb (226.8 kg)	69 lb (31.29 kg)	21612	38037
44341	24″ x 84″	6	1366.9 lb (620 kg)	600 lb (272.15 kg)	83 lb (37.6 kg)	21613	39033
44342	24″ x 96″	6	1466.1 lb (665 kg)	650 lb (294.8 kg)	93 lb (42.18 kg)	21614	39034
30″ DEPTH							
44343	30″ x 30″	4	948 lb (430 kg)	400 lb (181.4 kg)	40 lb (18.14 kg)	21615	–
44344	30″ x 36″	4	1036.2 lb (470 kg)	450 lb (204 kg)	45 lb (20.4 kg)	21616	–
44345	30″ x 48″	4	1113.3 lb (505 kg)	500 lb (227 kg)	56 lb (25.4 kg)	21617	39384
44346	30″ x 60″	4	1146.4 lb (520 kg)	600 lb (272 kg)	67 lb (30.4 kg)	21618	39385
44347	30″ x 72″	4	1190.5 lb (540 kg)	700 lb (317.5 kg)	79 lb (35.8 kg)	21619	39386
44348	30″ x 84″	6	1455.1 lb (660 kg)	750 lb (340 kg)	95 lb (43 kg)	21620	39387
44349	30″ x 96″	6	1554.3 lb (705 kg)	800 lb (362.8 kg)	106 lb (48 kg)	21621	39388

OPTIONAL ACCESSORIES

Spare undershelves and galvanized leg braces are listed by size in the table above.

24578 Drawer for 24″ deep worktables

24579 Drawer for 30″ deep worktables

47599 5″ caster, without brake

14395 5″ caster with brake


39313 Stainless steel bullet foot

23510 Plastic bullet foot

23520 Adjustable bullet foot, plastic inside / stainless steel outside

44335 | 24″ X 24″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44335	24″ x 24″ (610 x 610 mm)	34″ (864 mm)	38″ (965 mm)	4	793.7 lb (360 kg)	300 lb (136 kg)	30 lb (13.6 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44336 | 24″ X 30″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44336	24″ x 30″ (610 x 762 mm)	34″ (864 mm)	38″ (965 mm)	4	881.8 lb (400 kg)	350 lb (158.75 kg)	35 lb (15.87 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44337 | 24″ X 36″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44337	24″ x 36″ (610 x 914 mm)	34″ (864 mm)	38″ (965 mm)	4	948 lb (430 kg)	400 lb (181.4 kg)	40 lb (18.14 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44338 | 24″ X 48″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44338	24″ x 48″ (610 x 1219 mm)	34″ (864 mm)	38″ (965 mm)	4	1025.1 lb (465 kg)	450 lb (204.1 kg)	50 lb (22.67 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44339 | 24″ X 60″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44339	24″ x 60″ (610 x 1524 mm)	34″ (864 mm)	38″ (965 mm)	4	1058.2 lb (480 kg)	480 lb (217.7 kg)	59 lb (26.76 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44340 | 24″ X 72″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44340	24″ x 72″ (610 x 1829 mm)	34″ (864 mm)	38″ (965 mm)	4	1102.3 lb (500 kg)	500 lb (226.8 kg)	69 lb (31.29 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44341 | 24″ X 84″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44341	24″ x 84″ (610 x 2134 mm)	34″ (864 mm)	38″ (965 mm)	6	1366.9 lb (620 kg)	600 lb (272.15 kg)	83 lb (37.6 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44342 | 24″ X 96″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44342	24″ x 96″ (610 x 2438 mm)	34″ (864 mm)	38″ (965 mm)	6	1466.1 lb (665 kg)	650 lb (294.8 kg)	93 lb (42.18 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44343 | 30″ X 30″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44343	30″ x 30″ (762 x 762 mm)	34″ (864 mm)	38″ (965 mm)	4	948 lb (430 kg)	400 lb (181.4 kg)	40 lb (18.14 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44344 | 30″ X 36″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44344	30″ x 36″ (762 x 914 mm)	34″ (864 mm)	38″ (965 mm)	4	1036.2 lb (470 kg)	450 lb (204 kg)	45 lb (20.4 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44345 | 30″ X 48″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44345	30″ x 48″ (762 x 1219 mm)	34″ (864 mm)	38″ (965 mm)	4	1113.3 lb (505 kg)	500 lb (227 kg)	56 lb (25.4 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44346 | 30″ X 60″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44346	30″ x 60″ (762 x 1524 mm)	34″ (864 mm)	38″ (965 mm)	4	1146.4 lb (520 kg)	600 lb (272 kg)	67 lb (30.4 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44347 | 30″ X 72″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44347	30″ x 72″ (762 x 1829 mm)	34″ (864 mm)	38″ (965 mm)	4	1190.5 lb (540 kg)	700 lb (317.5 kg)	79 lb (35.8 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44348 | 30″ X 84″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH


ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44348	30″ x 84″ (762 x 2134 mm)	34″ (864 mm)	38″ (965 mm)	6	1455.1 lb (660 kg)	750 lb (340 kg)	95 lb (43 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.

44349 | 30″ X 96″ 20 GAUGE 430 ALL STAINLESS STEEL WORK TABLE WITH BACKSPLASH

ITEM	SIZE (D X W)	WORKING HEIGHT	OVERALL HEIGHT	LEGS	LOAD CAPACITY	UNDERSHELF CAP.	NET WEIGHT
44349	30″ x 96″ (762 x 2438 mm)	34″ (864 mm)	38″ (965 mm)	6	1554.3 lb (705 kg)	800 lb (362.8 kg)	106 lb (48 kg)



Dimensions in inches (millimetres). Use the printed dimensions, not measurements taken from the drawing. Unlabelled hardware, shelf and brace settings, and finish are illustrative.