

Refrigerated Display Case with Four-Sided Glass

ITEM:	44471	44472	44473	44474
MODEL:	RS-CN-0270-L	RS-CN-0350	RS-CN-0400-T	RS-CN-0550



44472
33" Wide / 59" Tall

44474
33" Wide / 75" Tall



44471
26" Wide / 59" Tall

44473
26" Wide / 75" Tall


Boost sales by showcasing attractive, visible food displays.

Omcan's Refrigerated Display Case with four-sided glass offers an economical and effective solution for showcasing your products. It features brilliant internal LED illumination on the sides to enhance visibility and a durable stainless steel exterior for a sleek, professional look.

The unit includes adjustable chrome-plated shelves to accommodate a variety of items, as well as a digital temperature controller and display for precise cooling management. The front flat glass door and four-sided double glass design provide excellent product visibility. The ventilated cooling system ensures even air distribution, while the automatic defrost function simplifies maintenance.

FEATURES:

- Brilliant internal LED illumination
- Digital temperature controller & display
- Adjustable chrome plated shelves
- Four-sided double glass
- Front flat glass door
- Automatic defrost
- Ventilated cooling system
- Stainless steel




TECHNICAL SPECIFICATION


Features	26" Wide - 59" Tall with 270L capacity	26" Wide- 75" Tall with 400L capacity	33" Wide- 59" Tall with 350L capacity	33" Wide- 75" Tall with 550L capacity
Item:	44471	44473	44472	44474
Model:	RS-CN-0270-L	RS-CN-0400-T	RS-CN-0350	RS-CN-0550
Capacity:	270 L / 9.53 cu. ft.	400 L / 14.13 cu. ft.	350 L / 12.36 cu. ft.	550 L / 19.42 cu. ft.
Number of Shelves:	2	3	2	3
Shelve Dimensions:	21.7" x 19.9" x 1.8" / 550 x 505 x 48 mm	21.7" x 19.9" x 1.8" / 550 x 505 x 48 mm	27.8" x 22" x 1.8" / 705 x 559 x 48 mm	27.8" x 22" x 1.8" / 705 x 559 x 48 mm
Lamp Power:	10 W	10 W x 2	10 W	10 W x 2
Current:	3.8 A			
Power:	361 W			
Electrical:	110V / 60Hz / 1Ph			
Temperature Range:	2°C - 10°C / 35.6°F - 50°F			
Refrigerant:	R290			
Injection:	110g			
Blowing Gas:	C5H10			
Net Weight:	308.6 lbs / 130 kgs	385.8 lbs / 161 kgs	335 lbs / 152 kgs	423.3 lbs / 192 kgs
Gross Weight:	324 lbs / 147 kgs	408 lbs / 185 kgs	370 lbs / 168 kgs	463 lbs / 210 kgs
Net Dimensions (WDH):	25.6" x 25.6" x 59" / 650 x 650 x 1500 mm	25.6" x 25.6" x 75" / 650 x 650 x 1908 mm	33.5" x 25.6" x 59" / 850 x 650 x 1499 mm	33.5" x 25.6" x 75" / 850 x 650 x 1908 mm
Gross Dimensions (WDH):	29" x 29" x 65" / 737 x 737 x 1651 mm	29" x 29" x 81" / 737 x 737 x 2057 mm	37" x 29" x 65" / 940 x 737 x 1651 mm	37" x 29" x 81" / 940 x 737 x 2057 mm
Interior Dimensions:	21.9" x 21.1" x 32.5" / 556 x 536 x 825 mm	21.9" x 21.1" x 47.9" / 556 x 536 x 1217 mm	29.4" x 21.1" x 32.5" / 747 x 536 x 825 mm	29.4" x 21.1" x 47.9" / 747 x 536 x 1217 mm
Plug Type:	NEMA 5-15P	NEMA 5-15P	NEMA 5-15P	NEMA 5-15P

TECHNICAL DRAWING


44471 - 26" Wide / 59" Tall



44473 - 26" Wide / 75" Tall



44472 - 33" Wide / 59" Tall



44474 - 33" Wide / 75" Tall

