



SERVING THE FOOD INDUSTRY SINCE 1951

Refrigerated Showcase Flat Top

ITEM: 48561 48562 48563
 MODEL: RE-CN-0036 RE-CN-0048 RE-CN-0060



A Luxury, Modern Display Perfect For Viewing From Above.

A perfect display case for luxury baked goods, desserts, and deli sandwiches for being viewed from above.

Ideal for displaying a wide variety of items that each have details requiring direct line of sight. Items in the display will not block each other.

FEATURES:

- Luxurious design
- Unobstrusive view of individual items
- Silent operation
- Low energy usage





Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com




Authorized Dealer


TECHNICAL SPECIFICATION	36"	48"	60"
Item	48561	48562	48563
Model	CM-900B	RE-CN-0048	RE-CN-0060
Capacity	9.6 cuft. (272 L)	13.2 cuft. (373 L)	16.7 cuft. (474 L)
Shelf Dimensions	30" x 13" (754x321 mm)	21" x 13" (521x321 mm)	27" x 13" (671x321 mm)
Shelf Material	Glass Drawer		
Interior Material	Glass / Stainless Steel		
Exterior Material	Glass / Stainless Steel		
Temperature Range	35.6-46.4 °F (2-8 °C)		
Power	330 W	380 W	400 W
Current	3.5 A	3.9 A	4 A
Electricals	110 V / 60 Hz / 1 Ph		
Internal Dimensions Top (WDH)	31" x 23" x 11" (770x581x278 mm)	43" x 23" x 11" (1070x581x278 mm)	54" x 23" x 11" (1370x581x278 mm)
Internal Dimensions Bottom (WDH)	32" x 28" x 11" (820x695x258 mm)	44" x 28" x 11" (1120x695x258 mm)	56" x 28" x 11" (1420x695x258 mm)
Net Dimensions (WDH)	36" x 28" x 42" (900x695x1055 mm)	48" x 32" x 42" (1200x800x1055 mm)	60" x 32" x 42" (1500x800x1055 mm)
Gross Dimensions (WDH)	39" x 35" x 45" (970x870x1135 mm)	50" x 35" x 45" (1270x870x1135 mm)	62" x 35" x 45" (1570x870x1135 mm)
Net Weight	289 lb. (131 kg.)	386 lb. (175 kg.)	428 lb. (194 kg.)
Gross Weight	396 lb. (179.5 kg.)	469 lb. (212.5 kg.)	543 lb. (246 kg.)

BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.

TECHNICAL DRAWING (48561)




900mm




1055mm

800mm

TECHNICAL DRAWING (48562)




1200mm




1055mm

800mm

TECHNICAL DRAWING (48563)



1500mm



1055mm

800mm