

Floor Refrigerated Showcases with Stainless Steel Exterior

ITEM:	50079	50080	50084	50085
MODEL:	RS-CN-0120-S	RS-CN-0200-S	RS-CN-0092-S	RS-CN-0163-S



Showcase food in style and boost impulse sales with this curved glass display for maximum visibility.

Designed for busy environments, this unit offers a large capacity, allowing you to store and display multiple products at once. The aluminum-lined interior with a durable stainless steel floor ensures long-lasting performance, while rear sliding glass doors provide quick and convenient access. Rounded interior corners make cleaning simple, and the removable installation board makes maintenance fast and hassle-free.

Equipped with adjustable, heavy-duty PVC coated shelves and bright LED lighting, your products are displayed clearly and attractively. The gravity coil refrigeration system helps maintain freshness and prevents food from drying out, ensuring your food look and taste their best. With a stainless steel exterior, sleek curved glass, and practical design features, this refrigerated display is both functional and visually appealing—perfect for drawing in customers and driving sales.

FEATURES:

- Aluminum lined interior with stainless steel floor
- Stainless steel exterior
- Curved glass with rear sliding doors
- Rounded interior corners for easy cleaning
- Removable installation board for easy maintenance
- Adjustable, heavy-duty PVC-coated shelves
- Bright LED interior lighting
- Gravity coil refrigeration preserves freshness & prevents drying




TECHNICAL SPECIFICATION


Features	36" wide with 11.6 cu.ft. capacity	47" wide with 18 cu.ft. capacity	64" wide with 22 cu.ft. capacity	82" wide with 32 cu.ft. Capacity
Item	50084	50079	50085	50080
Model	RS-CN-0092-S	RS-CN-0120-S	RS-CN-0163-S	RS-CN-0200-S
Color	Silver			
Capacity	11.6 cu.ft./ 328 L	18 cu.ft./ 508 L	22 cu.ft./ 620 L	32 cu.ft./ 903 L
Number of Doors	2 Sliding Glass Doors			
Number of Shelves	3			
Number of Casters	None			
Power	1/3 HP	1/4 HP	3/5 HP	3/4 HP
Current	4.7 A	3.12 A	7.1 A	7.1 A
Electrical	115V / 60Hz / 1Ph			
Temperature Controller	Digital			
Temperature Range	6 to 0°C (43 to 32°F)			
Refrigerant	R290			
Defrosting	Automatic			
Cooling System	Ventilated			
Interior Dimensions (WDH)	32.3" x 26.7" x 27.2" / 820 x 678 x 691 mm	43.3" x 26.7" x 27.2" / 1100 x 678 x 691 mm	60.2" x 26.7" x 27.2" / 1524 x 678 x 691 mm	78" x 26.7" x 27.2" / 1981 x 678 x 691 mm
Net Weight	260 lbs/ 118 kgs	319 lbs/ 145 kgs	399 lbs/ 181 kgs	506 lbs/ 230 kgs
Net Dimensions (WDH)	36" x 32.5" x 43" / 914 x 826 x 1092 mm	47" x 32.5" x 43" / 1194 x 826 x 1092 mm	64" x 32.5" x 43" / 1626 x 826 x 1092 mm	82" x 32.5" x 43" / 2083 x 826 x 1092 mm
Gross Weight	297.6 lbs/ 135 kgs	399 lbs/ 81 kgs	485 lbs/ 220 kgs	638 lbs 290 kgs
Gross Dimensions (WDH)	41" x 37" x 50" / 1041 x 940 x 1270 mm	52" x 37" x 50" / 1321 x 826 x 1092 mm	69" x 37" x 50" / 1753 x 826 x 1092 mm	87" x 37" x 50" / 2210 x 826 x 1092 mm
Plug Type	NEMA 5-15P			

TECHNICAL DRAWING

Item: 50084- 36"




Item: 50079- 47"



TECHNICAL DRAWING

Item: 50085- 64"



Item: 50080- 82"

