

Stainless Steel Hydraulic Piston Sausage Stuffers

26 LB – 95 LB CAPACITY • FOUR STUFFER SIZES • MULTIPLE ELECTRICAL CONFIGURATIONS

TALSA F14S — 26 LB. (12 KG.) CAPACITY

45950

SS-ES-0026-F

46098

SS-ES-0026-FS

46099

SS-ES-0026-FT

TALSA F25S — 48 LB. (22 KG.) CAPACITY

45920

SS-ES-0048-FS

45959

SS-ES-0048-F

45869

SS-ES-0048-FT

TALSA F35S — 65 LB. (29.5 KG.) CAPACITY

45870

SS-ES-0065-F

46101

SS-ES-0065-FS

46100

SS-ES-0065-FT

TALSA F50S — 95 LB. (43 KG.) CAPACITY

45951

SS-ES-0095-F

46102

SS-ES-0095-FS

46103

SS-ES-0095-FT

TALSA F35S WITH CASTERS

46325

SS-ES-0065-C

Experience the power of hydraulic technology that makes sausage stuffing smoother and more efficient than ever.

The hydraulic piston ensures consistent pressure, making it easy to control the sausage stuffing process and achieve professional results every time. It's built to withstand the demands in the kitchens. Upgrade your sausage-making game with this equipment. The Talsa F-Series is available in four capacities — 26 lb, 48 lb, 65 lb, and 95 lb — each offered in multiple voltage and phase configurations, with a caster-base variant of the F35S available for added mobility.

FEATURES:

- 2 wheels and handle for easy transport
- Easily accessible speed control
- Pressure gauge
- Removable lid; adjustable lock nuts with handle
- Independent hydraulic oil reservoir
- Thermal protected motor
- Automatic knee lever lock until the piston reaches the lower position



Talsa F14S

45950, 46098, 46099



Talsa F25S

45920, 45959, 45869



Talsa F35S

45870, 46101, 46100



Talsa F50S

45951, 46102, 46103



F35S w/ Casters

46325

1-833-487-3686

www.trentoequipment.com

sales@trentoequipment.com

Follow us on social media
@trentoequipment

AUTHORIZED DEALER



1 Year
Labor
Warranty



1 Year
Parts
Warranty



QPS
Approved



Made in
Spain


Talsa F14S — Technical Specification

Features	750 W, 110V with 1Ph	750 W, 220V with 1Ph	550 W, 208V with 3Ph
Item	45950	46098	46099
Model	SS-ES-0026-F	SS-ES-0026-FS	SS-ES-0026-FT
Approx. Meat Capacity	26 lb. (12 kg.)		
Barrel Capacity	15 Qt. (14.2 L)		
Operating Temperature	40° - 100°F (5° - 40°C)		
Power	750 W (1 hp)	750 W (1 hp)	550 W (0.75 hp)
Electrical	110V / 60Hz / 1Ph	220V / 60Hz / 1Ph	208V / 60Hz / 3Ph
Amps	11 A	5 A	3.6 A
Net Weight	265 lb. (120 kg.)		
Net Dimensions (WDH)	21" x 19" x 49" (533 x 482 x 1244 mm)		
Gross Weight	310 lb. (140 kg.)		
Gross Dimensions (WDH)	17" x 27" x 54" (430 x 686 x 1372 mm)		
Plug Type	NEMA 5-20P	NEMA 6-15P	NEMA L15-20P

Talsa F14S — Other Accessories (Sold Separately)

Item	Description	Compatible
69577	Black Stainless Steel Swivel Caster with Break	45950, 46098, 46099


TECHNICAL DRAWINGS



Talsa F25S — Technical Specification			
Features	1300 W, 110V with 1Ph	1300 W, 220V with 1Ph	1100 W, 208V with 3Ph
Item	45920	45959	45869
Model	SS-ES-0048-FS	SS-ES-0048-F	SS-ES-0048-FT
Approx. Meat Capacity	48 lb. (22 kg.)		
Barrel Capacity	26.6 Qt. (25.2 L)		
Operating Temperature	40° – 100°F (5° – 40°C)		
Power	1300 W (1.75 hp)	1300 W (1.75 hp)	1100 W (1.5 hp)
Electrical	110V / 60Hz / 1Ph	220V / 60Hz / 1Ph	208V / 60Hz / 3Ph
Amps	18 A	8.8 A	5.6 A
Net Weight	310 lb. (140 kg.)		
Net Dimensions (WDH)	23" x 21" x 49" (584 x 533 x 1245 mm)		
Gross Weight	350 lb. (160 kg.)		
Gross Dimensions (WDH)	21" x 27" x 54" (533 x 686 x 1372 mm)		
Plug Type	NEMA 5-20P	NEMA 6-15P	NEMA L15-20P

Talsa F25S — Other Accessories (Sold Separately)		
Item	Description	Compatible
69577	Black Stainless Steel Swivel Caster with Break	45920, 45959, 45869

TECHNICAL DRAWINGS




Talsa F35S — Technical Specification

Features	1300 W, 110V with 1Ph	1300 W, 220V with 1Ph	1100 W, 208V with 3Ph
Item	45870	46101	46100
Model	SS-ES-0065-F	SS-ES-0065-FS	SS-ES-0065-FT
Approx. Meat Capacity	65 lb. (29.5 kg.)		
Barrel Capacity	37 Qt. (35 L)		
Operating Temperature	40° - 100°F (5° - 40°C)		
Power	1300 W (1.75 hp)	1300 W (1.75 hp)	1100 W (1.5 hp)
Electrical	110V / 60Hz / 1Ph	220V / 60Hz / 1Ph	208-220V / 60Hz / 3Ph
Amps	18 A	8.8 A	5.6 A
Net Weight	350 lb. (160 kg.)		
Net Dimensions (WDH)	23" x 21" x 49" (584 x 533 x 1245 mm)		
Gross Weight	400 lb. (180 kg.)		
Gross Dimensions (WDH)	21" x 27" x 54" (533 x 686 x 1372 mm)		
Plug Type	NEMA 5-20P	NEMA 6-15P	NEMA L15-20P

Talsa F35S — Other Accessories (Sold Separately)

Item	Description	Compatible
69577	Black Stainless Steel Swivel Caster with Break	45870, 46101, 46100


TECHNICAL DRAWINGS



Talsa F50S — Technical Specification			
Features	1800 W, 110V with 1Ph	1800 W, 220V with 1Ph	1800 W, 208V with 3Ph
Item	45951	46102	46103
Model	SS-ES-0095-F	SS-ES-0095-FS	SS-ES-0095-FT
Approx. Meat Capacity	95 lb. (43 kg.)		
Barrel Capacity	53.9 Qt. (51 L)		
Operating Temperature	40° – 100°F (5° – 40°C)		
Power	1800 W (2.5 hp)		
Electrical	110V / 60Hz / 1Ph	220V / 60Hz / 1Ph	208-220V / 60Hz / 3Ph
Amps	23 A	12.5 A	8 A
Net Weight	580 lb. (260 kg.)		
Net Dimensions (WDH)	25" x 26" x 64" (635 x 660 x 1626 mm)		
Gross Weight	660 lb. (300 kg.)		
Gross Dimensions (WDH)	29" x 27" x 59" (737 x 686 x 1499 mm)		
Plug Type	NEMA L5-30P	NEMA 6-20P	NEMA L15-20P

Talsa F50S — Other Accessories (Sold Separately)		
Item	Description	Compatible
69578	Black Stainless Steel Swivel Caster with Break	45951, 46102, 46103

TECHNICAL DRAWINGS





Talsa F35S with 2 Swivel Casters — Technical Specification	
Item	46325
Model	SS-ES-0065-C
Approx. Meat Capacity	65 lb. (28 kg.)
Barrel Capacity	9.2 Gal. (35 L)
Operating Temperature	40° - 100°F (5° - 40°C)
Operating Relative Humidity	20% - 90%
Power	1.5 hp (1.10 kW)
Electrical	208V / 60Hz / 3Ph
Amps	5.6 A
Net Weight	350 lb. (160 kg.)
Net Dimensions (WDH)	23" x 31" x 49" (570 x 787.4 x 1244.6 mm)
Gross Weight	400 lb. (180 kg.)
Gross Dimensions (WDH)	21" x 27" x 54" (530 x 680 x 1370 mm)

Plug type varies by model — refer to the Technical Specification tables in this document for the specific NEMA configuration supplied with each electrical variant. Item 46325 (SS-ES-0065-C) is hardwired and is not supplied with a plug.

FEATURES:

- 4 wheels with 2 swivel casters and handle for easy transport
- Easily accessible speed control
- Pressure gauge
- Removable lid; adjustable lock nuts with handle
- Independent hydraulic oil reservoir
- Thermal protected motor
- Automatic knee lever lock until the piston reaches the lower position
- Carefully designed for easy dismantling, allowing quick access to all components for maintenance and cleaning

Addendum — Hamburger Patty Former Accessory



Item	46955	46966
Compatible Stuffer Type	F Series	H Series
Standard Plate	AR107 — 4.7" x 0.6" (120 x 15 mm)	
Overall Dimensions	7.4" x 11.6" x 14.6" (188 x 294 x 370 mm)	
Net Weight	12.1 lb. (5.5 kg.)	

Available Plates		
Item Number	Mold Size (Dia. x H)	Approx. Patty Weight
AR104	4.7" x 0.8" (120 x 20 mm)	9.5 oz. (267 g)
AR105	3.9" x 0.8" (100 x 20 mm)	6.5 oz. (185 g)
AR106	3.5" x 0.8" (90 x 20 mm)	5.2 oz. (150 g)
AR107	4.7" x 0.6" (120 x 15 mm)	7 oz. (200 g)
AR108	3.9" x 0.6" (100 x 15 mm)	4.9 oz. (139 g)
AR109	3.5" x 0.6" (90 x 15 mm)	4 oz. (113 g)
AR110	4.7" x 0.4" (120 x 10 mm)	4.7 oz. (133 g)
AR111	3.9" x 0.4" (100 x 10 mm)	3.3 oz. (93 g)
AR112	(3) 2" x 0.4" (50 x 10 mm)	(3) 0.8 oz. (23 g)