



FOOD EQUIPMENT

SERVING THE FOOD INDUSTRY SINCE 1951

ELITE SERIES STAINLESS STEEL WORK TABLE AND ACCESSORIES



ELITE
SERIES
PREMIUM QUALITY

180 DAYS LIMITED WARRANTY



Authorized Dealer



Elite Series Work table

- 18 Gauge 430 stainless steel
- Support channels are secured via bolt and acorn style nut
- The galvanized under-shelf has rolled die cast leg clamps
- Legs are secured by single set screw design
- Plastic bullet feet



TECHNICAL SPECIFICATION					
ITEM	DESCRIPTION (WD)	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS (WDH)
17577	S.S. Table 24" x 24" / 610 x 610 mm, 4 legs	826.7 lbs./ 375 kg.	34" / 863.6 mm	34.6 lbs./ 15.7 kg.	36.42" x 31" x 3.15" 925 x 787 x 80 mm
17578	S.S. Table 24" x 30" / 610 x 762 mm, 4 legs	903.9 lbs./ 410 kg.	34" / 863.6 mm	38.4 lbs./ 17.4 kg.	36.42" x 31" x 3.15" 925 x 787 x 80 mm
17579	S.S. Table 24" x 36" / 610 x 762 mm, 4 legs	992.1 lbs./ 450 kg.	34" / 863.6 mm	42.3 lbs./ 19.2 kg.	37.8" x 31" x 3.15" 960 x 787 x 80 mm
17580	S.S. Table 24" x 48" / 610 x 1219 mm, 4 legs	1069.2 lbs./ 485 kg.	34" / 863.6 mm	50 lbs./ 22.7 kg.	49.8" x 25.79" x 3.15" 1265 x 655 x 80 mm
*17581	S.S. Table 24" x 60" / 610 x 1524 mm, 4 legs	1102.3 lbs./ 500 kg.	34" / 863.6 mm	57.8 lbs./ 26.2 kg.	61.81" x 25.79" x 3.15" 1570 x 655 x 80 mm
*17582	S.S. Table 24" x 72" / 610 x 1829 mm, 4 legs	1146.4 lbs./ 520 kg.	34" / 863.6 mm	65.5 lbs./ 29.7 kg.	73.82" x 25.79" x 3.15" 1875 x 655 x 80 mm
*20198	S.S. Table 24" x 84" / 610 x 2134 mm, 6 legs	1411 lbs./ 640 kg.	34" / 863.6 mm	73.2 lbs./ 33.2 kg.	85.83" x 25.79" x 3.15" 2180 x 655 x 80 mm
*18854	S.S. Table 24" x 96" / 610 x 2438 mm, 6 legs	1510.2 lbs./ 685 kg.	34" / 863.6 mm	80.9 lbs./ 36.7 kg.	97.83" x 25.79" x 3.15" 2485 x 655 x 80 mm
17584	S.S. Table 30" x 30" / 762 x 762 mm, 4 legs	992.1 lbs./ 450 kg.	34" / 863.6 mm	48 lbs./ 21.8 kg.	36.42" x 37" x 3.15" 925 x 940 x 80 mm
17585	S.S. Table 30" x 36" / 762 x 762 mm, 4 legs	1080.3 lbs./ 490 kg.	34" / 863.6 mm	52.5 lbs./ 23.8 kg.	37.8" x 37" x 3.15" 960 x 940 x 80 mm
*17586	S.S. Table 30" x 48" / 762 x 1219 mm, 4 legs	1157.4 lbs./ 525 kg.	34" / 863.6 mm	61.5 lbs./ 27.9 kg.	49.8" x 31.89" x 3.15" 1265 x 810 x 80 mm
*17587	S.S. Table 30" x 60" / 762 x 1524 mm, 4 legs	1190.5 lbs./ 540 kg.	34" / 863.6 mm	70.5 lbs./ 32 kg.	61.81" x 31.89" x 3.15" 1570 x 810 x 80 mm
*17588	S.S. Table 30" x 72" / 762 x 1829 mm, 4 legs	1234.6 lbs./ 560 kg.	34" / 863.6 mm	79.6 lbs./ 36.1 kg.	73.82" x 31.89" x 3.15" 1875 x 810 x 80 mm
*20434	S.S. Table 30" x 84" / 762 x 2134 mm, 6 legs	1499.1 lbs./ 680 kg.	34" / 863.6 mm	93.9 lbs./ 42.6 kg.	85.83" x 31.89" x 3.15" 2180 x 810 x 80 mm
*18855	S.S. Table 30" x 96" / 762 x 2438 mm, 6 legs	1598.4 lbs./ 725 kg.	34" / 863.6 mm	103 lbs./ 46.7 kg.	97.83" x 31.89" x 3.15" 2485 x 810 x 80 mm



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers





Elite series work table with backsplash

- 18 Gauge 430 stainless steel
- Support channels are secured via bolt and acorn style nut
- The galvanized under-shelf has rolled die cast leg clamps
- Legs are secured by single set screw design
- Plastic bullet feet



TECHNICAL SPECIFICATION

ITEM	DESCRIPTION (WD)	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS (WDH)
23793	S.S. Table 24" x 24"/ 610 x 610 mm with 4"/ 101.6 mm backsplash, 4 legs	793.7 lbs./ 360 kg.	38"/ 965 mm	38.1 lbs./ 17.3 kg.	36.42" x 25.79" x 7.28" 925 x 655 x 185 mm
23794	S.S. Table 24" x 30"/ 610 x 762 mm with 4"/ 101.6 mm backsplash, 4 legs	881.8 lbs./ 400 kg.	38"/ 965 mm	43.7 lbs./ 19.8 kg.	36.02" x 25.79" x 7.28" 915 x 655 x 185 mm
23795	S.S. Table 24" x 36"/ 610 x 1219 mm with 4"/ 101.6 mm backsplash, 4 legs	948 lbs./ 430 kg.	38"/ 965 mm	48.9 lbs./ 22.2 kg.	37.8" x 25.79" x 7.28" 960 x 655 x 185 mm
23796	S.S. Table 24" x 48"/ 610 x 1219 mm with 4"/ 101.6 mm backsplash, 4 legs	1025.1 lbs./ 465 kg.	38"/ 965 mm	59.3 lbs./ 26.9 kg.	49.8" x 25.79" x 7.28" 1265 x 655 x 185 mm
*23797	S.S. Table 24" x 60"/ 610 x 1524 mm with 4"/ 101.6 mm backsplash, 4 legs	1058.2 lbs./ 480 kg.	38"/ 965 mm	69.7 lbs./ 31.6 kg.	61.81" x 25.79" x 7.28" 1570 x 655 x 185 mm
*23798	S.S. Table 24" x 72"/ 610 x 1829 mm with 4"/ 101.6 mm backsplash, 4 legs	1102.3 lbs./ 500 kg.	38"/ 965 mm	80 lbs./ 36.3 kg.	73.82" x 25.79" x 7.28" 1875 x 655 x 185 mm
*23799	S.S. Table 24" x 84"/ 610 x 2134 mm with 4"/ 101.6 mm backsplash, 6 legs	1366.9 lbs./ 620 kg.	38"/ 965 mm	95.7 lbs./ 43.4 kg.	85.83" x 25.79" x 7.28" 2180 x 655 x 185 mm
*23800	S.S. Table 24" x 96"/ 610 x 2438 mm with 4"/ 101.6 mm backsplash, 6 legs	1466.1 lbs./ 665 kg.	38"/ 965 mm	106 lbs./ 48.1 kg.	97.83" x 25.79" x 7.28" 2485 x 655 x 185 mm
23801	S.S. Table 30" x 30"/ 762 x 762 mm with 4"/ 101.6 mm backsplash, 4 legs	948 lbs./ 430 kg.	38"/ 965 mm	49.1 lbs./ 22.3 kg.	36.42" x 31.89" x 7.28" 925 x 810 x 185 mm
23802	S.S. Table 30" x 36"/ 762 x 762 mm with 4"/ 101.6 mm backsplash, 4 legs	1036.2 lbs./ 470 kg.	38"/ 965 mm	55.1 lbs./ 25 kg.	37.8" x 31.89" x 7.28" 960 x 810 x 185 mm
23803	S.S. Table 30" x 48"/ 762 x 1219 mm with 4"/ 101.6 mm backsplash, 4 legs	1113.3 lbs./ 505 kg.	38"/ 965 mm	67.2 lbs./ 30.5 kg.	49.61" x 31.89" x 7.28" 1260 x 810 x 185 mm
*23804	S.S. Table 30" x 60"/ 762 x 1524 mm with 4"/ 101.6 mm backsplash, 4 legs	1146.4 lbs./ 520 kg.	38"/ 965 mm	79.4 lbs./ 36 kg.	61.81" x 31.89" x 7.28" 1570 x 810 x 185 mm
*23805	S.S. Table 30" x 72"/ 762 x 1829 mm with 4"/ 101.6 mm backsplash, 4 legs	1190.5 lbs./ 540 kg.	38"/ 965 mm	91.7 lbs./ 41.6 kg.	73.62" x 31.89" x 7.28" 1870 x 810 x 185 mm
*23806	S.S. Table 30" x 84"/ 762 x 2134 mm with 4"/ 101.6 mm backsplash, 6 legs	1455.1 lbs./ 660 kg.	38"/ 965 mm	109.1 lbs./ 49.5 kg.	85.63" x 31.89" x 7.28" 2175 x 810 x 185 mm
*23807	S.S. Table 30" x 96"/ 762 x 2134 mm with 4"/ 101.6 mm backsplash, 6 legs	1554.3 lbs./ 705 kg.	38"/ 965 mm	121.3 lbs./ 55 kg.	97.83" x 31.89" x 7.28" 2485 x 810 x 185 mm



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



Under-shelf for Elite series worktable - Galvanized under-shelf with rolled die cast leg clamps



TECHNICAL SPECIFICATION				
ITEM	DESCRIPTION	LOAD CAPACITY	GROSS WEIGHT	GROSS DIMENSIONS
17614	24" x 24" / 610 x 610 mm Undershelf for 17577 and 23793	341.7 lbs./ 155 kg.	7.7 lbs./ 3.5 kg.	20.87" x 20.87" x 2.36" / 530 x 530 x 60 mm
17615	24" x 30" / 610 x 762 mm Undershelf for 17578 and 23794	374.8 lbs./ 170 kg.	9.9 lbs./ 4.5 kg.	26.7" x 20.87" x 2.36" / 678 x 530 x 60 mm
17616	24" x 36" / 610 x 1219 mm Undershelf for 17579 and 23795	418.9 lbs./ 190 kg.	12.1 lbs./ 5.5 kg.	32.68" x 20.87" x 2.36" / 830 x 530 x 60 mm
17617	24" x 48" / 610 x 1219 mm Undershelf for 17580 and 23796	451.9 lbs./ 205 kg.	14.3 lbs./ 6.5 kg.	44.69" x 20.87" x 2.36" / 1135 x 530 x 60 mm
*17618	24" x 60" / 610 x 1524 mm Undershelf for 17581 and 23797	463 lbs./ 210 kg.	16.5 lbs./ 7.5 kg.	56.69" x 20.87" x 2.36" / 1440 x 530 x 60 mm
*17619	24" x 72" / 610 x 1829 mm Undershelf for 17582 and 23798	485 lbs./ 220 kg.	18.7 lbs./ 8.5 kg.	68.7" x 20.87" x 2.36" / 1745 x 530 x 60 mm
*17620	24" x 84" / 610 x 2134 mm Undershelf for 20198 and 23799	595.2 lbs./ 270 kg.	20.9 lbs./ 9.5 kg.	80.71" x 20.87" x 2.36" / 2050 x 530 x 60 mm
*17621	24" x 96" / 610 x 2438 mm Undershelf for 18854 and 23800	650.4 lbs./ 295 kg.	23.1 lbs./ 10.5 kg.	92.52" x 20.87" x 2.36" / 2350 x 530 x 60 mm
17622	30" x 30" / 762 x 762 mm Undershelf for 17548 and 23801	396.8 lbs./ 180 kg.	11 lbs./ 5 kg.	26.77" x 25.39" x 2.36" / 680 x 645 x 60 mm
17623	30" x 36" / 762 x 762 mm Undershelf for 17585 and 23802	440.9 lbs./ 200 kg.	13.2 lbs./ 6 kg.	32.68" x 25.39" x 2.36" / 830 x 645 x 60 mm
17624	30" x 48" / 762 x 1219 mm Undershelf for 17586 and 23803	474 lbs./ 215 kg.	15.4 lbs./ 7 kg.	44.69" x 25.39" x 2.36" / 1135 x 645 x 60 mm
*17625	30" x 60" / 762 x 1524 mm Undershelf for 17587 and 23804	485 lbs./ 220 kg.	17.6 lbs./ 8 kg.	56.69" x 25.39" x 2.36" / 1440 x 645 x 60 mm
*17626	30" x 72" / 762 x 1829 mm Undershelf for 17588 and 23805	507.1 lbs./ 230 kg.	19.8 lbs./ 9 kg.	68.7" x 25.39" x 2.36" / 1745 x 645 x 60 mm
*17627	30" x 84" / 762 x 2134 mm Undershelf for 20434 and 23806	617.3 lbs./ 280 kg.	22 lbs./ 10 kg.	80.71" x 25.39" x 2.36" / 2050 x 645 x 60 mm
*17628	30" x 96" / 762 x 2134 mm Undershelf for 18855 and 23807	672.4 lbs./ 305 kg.	24.3 lbs./ 11 kg.	92.72" x 25.39" x 2.36" / 2355 x 645 x 60 mm

Bullet feet

TECHNICAL SPECIFICATION	
ITEM	DESCRIPTION
39313	Stainless Steel Bullet Foot
23510	Plastic Bullet Foot
23520	Bullet Foot- Plastic Inside Stainless Steel Outside



23520



23510



39313

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers

