



SERVING THE FOOD INDUSTRY SINCE 1951

HEAVY DUTY GLASS DOOR BOTTLE COOLERS

Item: 50058

Model: BB-CN-0012-GH

Item: 50060

Model: BB-CN-0016-GH

Item: 50062

Model: BB-CN-0020-GH



Perfect for any restaurant and/or bar, the heavy duty glass door bottle coolers are designed with enduring quality and value. The exterior comprises of attractive corrosion resistant vinyl on steel in black finish. Electronic control system makes it easy to adjust temperature set point and defrost frequency.









49-INCH HEAVY DUTY GLASS DOOR BOTTLE COOLER



Features:

- Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Self-closing doors with locks
- LED interior lighting
- Adjustable heavy-duty PVC coated shelves
- Electronic control system makes it easy to adjust temperature set point and defrost frequency
- Temperature range from 0-5°C / 33-41°F



MODEL POWER

PRODUCT CAPACITY

NUMBER OF DOORS
TEMPERATURE RANGE
CAPACITY
NUMBER OF SHELVES
ELECTRICAL

AMPS REFRIGERANT

DIMENSIONS (DWH)

INTERIOR DIMENSIONS (DWH)

PACKAGING DIMENSIONS

WEIGHT PACKAGING WEIGHT

50058

BB-CN-0012-GH

1/5 HP

672 - 12 oz. cans

2 - kegs

384 - 12 oz. bottles

2

33°F - 41°F / 0.5°C - 5°C

11.8 cu. ft. / 335 L

4

115V / 60Hz / 1Ph

2.88

R290

48.8" x 24.4" x 35.6" 1240 x 620 x 905 mm

36 1/4" x 18 1/2" x 30 1/2" 920 x 470 x 775 mm


51 1/8" x 27 4/8" x 42 3/8" 1300 x 700 x 1075 mm

98 kg. / 216 lbs.

118 kg. / 260 lbs.



TECHNICAL DRAWING AND DIMENSIONS



















Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com





Follow us to keep up to date with the latest news and offers











61-INCH HEAVY DUTY GLASS DOOR BOTTLE COOLER



Features:

- Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Self-closing doors with locks
- LED interior lighting
- Adjustable heavy-duty PVC coated shelves
- Electronic control system makes it easy to adjust temperature set point and defrost frequency
- Temperature range from 0-5°C / 33-41°F

TECHNICAL SPECIFICATION

ITEM NUMBER

MODEL

POWER

PRODUCT CAPACITY

NUMBER OF DOORS TEMPERATURE RANGE CAPACITY

NUMBER OF SHELVES ELECTRICAL

AMPS

REFRIGERANT

DIMENSIONS (WDH)

INTERIOR DIMENSIONS (DWH)

PACKAGING DIMENSIONS

WEIGHT PACKAGING WEIGHT

50060

BB-CN-0016-GH

1/5 HP

912 - 12 oz. cans

2 - kegs

504 - 12 oz. bottles

2

33°F - 41°F / 0.5°C - 5°C

15.8 cu. ft. / 446 L

4

115V / 60Hz / 1Ph

2.88

R290

60.8" x 24.4" x 35.6" 1544 x 620 x 905 mm

20" x 48.2" x 31" 507 x 1224 x 787 mm

27.6" x 63.4" x 42.3" 701 x 1610 x 1074 mm

326 lbs. / 148 kg.

380 lbs. / 173 kg.



TECHNICAL DRAWING AND DIMENSIONS 25.8" 24.4" 35.6"















Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com

















73-INCH HEAVY DUTY GLASS DOOR BOTTLE COOLER



Features:

- Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Self-closing doors with locks
- LED interior lighting
- Adjustable heavy-duty PVC coated shelves
- Electronic control system makes it easy to adjust temperature set point and defrost frequency
- Temperature range from 0-5°C / 33-41°F



TECHNICAL SPECIFICATION

MODEL POWER

PRODUCT CAPACITY

NUMBER OF DOORS
TEMPERATURE RANGE
CAPACITY
NUMBER OF SHELVES
ELECTRICAL
AMPS

REFRIGERANT
DIMENSIONS (DWH)

INTERIOR DIMENSIONS (DWH)

PACKAGING DIMENSIONS

WEIGHT PACKAGING WEIGHT

50062

BB-CN-0020-GH

1/4+

1152 - 12 oz. cans

3 - kegs

624 - 12 oz. bottles

3

33°F - 41°F / 0.5°C - 5°C

19.6 cu. ft. / 556 L

6

115V / 60Hz / 1Ph

3.96

R290

72 3/4" x 24 3/8" x 35 5/8" 1848 x 620 x 905 mm


60 1/8" x 18 1/2" x 30 1/2" 1528 x 470 x 775 mm

75 2/8" x 27 4/8" x 42 3/8" 1910 x 700 x 1075 mm

141 kg. / 310 lbs.

175 kg. / 385 lbs.

TECHNICAL DRAWING AND DIMENSIONS

















Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com





Follow us to keep up to date with the latest news and offers









