Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Issue date: 01/25/2022 Version: 1.0 SDS No: 00625-0075

SECTION 1: Identification		
1.1. Product identifier		
Product form Product name	: Mixture : Pacojet Cleaning Tab	
1.2. Recommended use and restrictions of	on use	
Recommended use	: Cleaning tablets	
1.3. Supplier		
PACOJET INTERNATIONAL AG Bundesstrasse 7 Zug, 6300 Switzerland T +41 (0) 41 729 49 60 info@pacojet.com - www.pacojet.com		
Emergency number	: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463	
SECTION 2: Hazard identification		
2.1. Classification of the substance or mi	xture	
Classification (GHS CA)		
Skin corrosion/irritation, Category 1A Serious eye damage/eye irritation, Category 1 Full text of H-statements: see section 16	H314Causes severe skin burns and eye damage.H318Causes serious eye damage.	
2.2. GHS Label elements, including preca	utionary statements	
GHS CA labelling Hazard pictograms (GHS CA)		
Signal word (GHS CA)	: Danger	
Hazard statements (GHS CA) Precautionary statements (GHS CA)	 H314 - Causes severe skin burns and eye damage. P101 - If medical advice is needed, have product container or label at hand. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P501 - Dispose of contents/container to an approved waste disposal plant. 	
2.3. Other hazards		
No additional information available		

No additional information available

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) SDS No: 00625-0075

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Sodium hydroxide	-	CAS-No.: 1310-73-2	50 - 80	Skin Corr. 1A, H314
Sodium carbonate	-	CAS-No.: 497-19-8	10 - 20	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation First-aid measures after skin contact	 Remove person to fresh air and keep comfortable for breathing. Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately. 	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.	
First-aid measures after ingestion First-aid measures general	Rinse mouth. Do not induce vomiting. Call a physician immediately.Call a physician immediately.	
4.2. Most important symptoms and effe	cts (acute and delayed)	
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	Burns.Serious damage to eyes.Burns.	
4.3. Immediate medical attention and sp	oecial treatment, if necessary	
Treatment	: Treat symptomatically.	
SECTION 5: Fire-fighting measures		
5.1. Suitable extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam.	
5.2. Unsuitable extinguishing media		
No additional information available		
5.3. Specific hazards arising from the h	azardous product	
Hazardous decomposition products in case of fi	re : Toxic fumes may be released.	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) SDS No: 00625-0075 $\,$

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for cor	ntainment and cleaning up
Methods for cleaning up Other information	Mechanically recover the product.Dispose of materials or solid residues at an authorized site.
6.3. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) SDS No: 00625-0075

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

9.1. Information on basic physical and o	chemical properties
Physical state	: Solid
Appearance	: tablet.
Colour	: White
Odour	: characteristic
Odour threshold	: No data available
pH	: 13
pH solution	: 1 % Aqueous solution
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: completely soluble
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11: Toxicological information		
11.1. Information on toxicologi	cal effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) SDS No: 00625-0075

Skin corrosion/irritation	: Causes severe skin burns. pH: 13
Serious eye damage/irritation	: Causes serious eye damage. pH: 13
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic)	 Before neutralisation, the product may represent a danger to aquatic organisms. Not classified Not classified
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Ozone	: Not classified
SECTION 13: Disposal considerations	

SECTION 13. Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	

SECTION 14: Transport Information			
In accordance with TDG / DOT / IMDG / IATA			
TDG	DOT	IMDG	ΙΑΤΑ
14.1. UN number			
UN1823	1823	1823	1823

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) SDS No: 00625-0075

TDG	DOT	IMDG	ΙΑΤΑ
14.2. Proper Shipping Name			
SODIUM HYDROXIDE, SOLID	Sodium hydroxide, solid	SODIUM HYDROXIDE, SOLID	Sodium hydroxide, solid
14.3. Transport hazard class(es	s)		
8	8	8	8
B	CORROSIVE 8	B	B
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information availa	ble	1	1

14.6. Special precautions for user

TDG

UN-No. (TDG) : UN1823 Explosive Limit and Limited Quantity Index : 1 kg Excepted quantities (TDG) : E2 Passenger Carrying Road Vehicle or Passenger : 15 kg Carrying Raitway Vehicle Index : Emergency Response Guide (ERG) Number : 154 DOT : UN1823 DOT Special Provisions (49 CFR 172.102) : UN1823 'EBP - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). P2 - VNen IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sitn-proof and water-resistant or be fitted with a sitn-proof and water-resistant liner. T3 - 2.66 178.274(0)(2) Normal	TDG	
Excepted quantities (TDG): E2Passenger Carrying Road Vehicle or Passenger: 15 kgCarrying Railway Vehicle Index: 154DOT: UN1823DOT Special Provisions (49 CFR 172.102): UN1823III H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant iner.T3 - 2.65 178.274(d)(2)T73 - 3. The portable tank instruction as asigned for this substance applies for granular and powdered solids and for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 is solid substances of packing provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with portable tank instruction material must be transported in accordance with protable tank sported in accordance with the applicable requirements of this subchapter.DOT Packaging Exceptions (49 CFR 173.xxx): 154	UN-No. (TDG)	: UN1823
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index : 15 kg Carrying Railway Vehicle Index : 154 DOT UN-No.(DOT) : UN1823 DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21) and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178 274(d)(2) Normal. T3 - 2.65 178 274(d)(2) Normal. T93 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction as signed in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. DOT Packagin	Explosive Limit and Limited Quantity Index	: 1 kg
Carrying Railway Vehicle Index : 154 DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) : UN1823 : UN182, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard of rosolids which are filed and discharged at temperatures above their melting point which are cooled and transported at temperatures above their melting point which are cooled and transported at a solid substance stransported or offered for transportabove their melting point are authorized for transportation in potable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filed and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transportabove their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing provable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. DOT Packaging Exceptions (49 CFR 173.xxx) : 154	Excepted quantities (TDG)	: E2
Emergency Response Guide (ERG) Number : 154 DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) : UN1823 : IBB - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11H22, 21HZ1, 21HZ2, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Fiexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or nigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal. TP3 - 5. The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their metling point which are cooled and transported as a solid mass. Solid substances transported or offered for transportabove their metling point are authorized for torsolids substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. DOT Packaging Exceptions (49 CFR 173.xxx)	Passenger Carrying Road Vehicle or Passenge	r : 15 kg
DOT UN-No.(DOT) : UN1823 DDT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G, 11D); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sitt-proof and water-resistant or be fitted with a sitt-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal	Carrying Railway Vehicle Index	
UN-No. (DOT): UN1823DOT Special Provisions (49 CFR 172.102): IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard (102) Normal	Emergency Response Guide (ERG) Number	: 154
DOT Special Provisions (49 CFR 172.102): IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal		
 (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal		
 a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal	DOT Special Provisions (49 CFR 172.102)	 (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.
T3 - 2.65 178.274(d)(2) Normal		
TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.DOT Packaging Exceptions (49 CFR 173.xxx):154DOT Packaging Non Bulk (49 CFR 173.xxx):212		
DOT Packaging Exceptions (49 CFR 173.xxx):154DOT Packaging Non Bulk (49 CFR 173.xxx):154212212		
DOT Packaging Non Bulk (49 CFR 173.xxx) : 212		powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Bulk (49 CFR 173.xxx) : 240		
	DOT Packaging Bulk (49 CFR 173.xxx)	: 240

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) SDS No: 00625-0075

DOT Quantity Limitations Passenger aircraft/rail (4 CFR 173.27)	9 : 15 kg
DOT Quantity Limitations Cargo aircraft only (49	: 50 kg
CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
DOT Vessel Stowage Other	passenger vessel. : 52 - Stow "separated from" acids
IMDG	
Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B21, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: A
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y844
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 859
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 863
CAO max net quantity (IATA)	: 50kg
ERG code (IATA)	: 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations
Sodium carbonate (497-19-8)
Listed on the Canadian DSL (Domestic Substances List)
15.2. International regulations
Sodium hydroxide (1310-73-2)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium carbonate (497-19-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION	16: Other	information

Issue date

: 01-25-2022

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) SDS No: 00625-0075

Othor	information	١
	mornation	ļ

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-statements:	
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
DOT	Department of Transport	
TDG	Transportation of Dangerous Goods	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals	
IARC	International Agency for Research on Cancer	
vPvB	Very Persistent and Very Bioaccumulative	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
CAS	CAS (Chemical Abstracts Service) number	
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
BCF	Bioconcentration factor	
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships	
ADG	Transport of Australian Dangerous Goods	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) SDS No: 00625-0075

Abbreviations and acronyms:	
EC50	Median effective concentration
EN	European Standard
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
ED	Endocrine disrupting properties

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.