



WORK TABLES

SERVING THE FOOD INDUSTRY SINCE 1951

STANDARD WORK TABLE AND ACCESSORIES



180 DAYS LIMITED WARRANTY



Authorized Dealer

WORK TABLES

STANDARD WORK TABLE



Worktables - Standard Series

- 18 Gauge 430 Stainless Steel
- Support Channels secured via bolt and acorn style nut
- The Galvanized Under-shelf designed with welded V pipe leg supports
- Legs secured by single set-screw design
- Plastic Bullet Feet



TECHNICAL SPECIFICATION

ITEM	DESCRIPTION (DxW)	TOP LOAD CAPACITY	UNDERSHELF CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
24196	S.S. Table 18" x 24" / 457 x 610 mm, 4 legs	220.5lb. (100kg.)	176 lb. (80 kg.)	34.5" (876.3 mm)	30.4 lbs/ 13.8 kg	35.2" x 22.6" x 3.1" 895 x 575 x 80 mm
43182	S.S. Table 24" x 18" / 610 x 457 mm, 4 legs	220.5 lb. (100 kg.)	176.4 lb. (80 kg.)	34.5" (876.3 mm)	30.4 lbs./ 13.8 kg	35.2" x 22.6" x 3.1" 895 x 575 x 80 mm
22063	S.S. Table 24" x 24" / 610 x 610 mm, 4 legs	485 lb. (220 kg.)	297.6 lb. (135 kg.)	34.5" (876.3 mm)	30 lbs./ 13.6 kg	35.2" x 28.7" x 3.1" 895 x 729 x 80 mm
22064	S.S. Table 24" x 30" / 610 x 762 mm, 4 legs	529 lb. (240 kg.)	330.7 lb. (150 kg.)	34.5" (876.3 mm)	34.4 lbs./ 15.6 kg	35.2" x 28.7" x 3.1" 895 x 729 x 80 mm
22065	S.S. Table 24" x 36" / 610 x 914 mm, 4 legs	573 lb. (260 kg.)	330 lb. (150 kg.)	34.5" (876.3 mm)	38.4 lbs./ 17.4 kg	37.4" x 25.2" x 3.1" 949 x 640 x 80 mm
22066	S.S. Table 24" x 48" / 610 x 1219 mm, 4 legs	606.27 lb. (275 kg.)	363.8 lb. (165 kg.)	34.5" (876.3 mm)	47.2 lbs./ 21.4 kg	49.4" x 25.2" x 3.1" 1255 x 640 x 80 mm
*22067	S.S. Table 24" x 60" / 610 x 1524 mm, 4 legs	650 lb. (295 kg.)	396.8 lb. (180 kg.)	34.5" (876.3 mm)	56.9 lbs./ 25.8 kg	61.4" x 25.2" x 3.1" 1559 x 640 x 80 mm
*22068	S.S. Table 24" x 72" / 610 x 1829 mm, 4 legs	705 lb. (320 kg.)	397 lb. (180 kg.)	34.5" (876.3 mm)	66.1 lbs./ 30 kg	73.4" x 25.2" x 3.1" 1864 x 640 x 80
*22069	S.S. Table 24" x 84" / 610 x 2133.6 mm, 6 legs	1036 lb. (470 kg.)	430 lb. (195 kg.)	34.5" (876.3 mm)	94.8 lbs./ 83.8 kg	85.4" x 25.2" x 3.1" 2169 x 640 x 80 mm
*22070	S.S. Table 24" x 96" / 610 x 2438 mm, 6 legs	1102 lb. (500 kg.)	463 lb. (210 kg.)	34.5" (876.3 mm)	94.8 lbs./ 43 kg	97.4" x 25.2" x 3.1" 2473 x 640 x 80 mm
43183	S.S. Table 30" x 18" / 762 x 457 mm, 4 legs	264.5 lb. (120 kg.)	220.5 lb. (100 kg.)	34.5" (876.3 mm)	32.2 lbs. / 14.6 kg	35.2" x 22.6" x 3.1" 895 x 575 x 80 mm
22071	S.S. Table 30" x 30" / 762 x 762 mm, 4 legs	551.5 lb. (250 kg.)	330.7 lb. (150 kg.)	34.5" (876.3 mm)	39.2 lbs./ 17.8 kg	38.8" x 34.7" x 3.1" 985 x 882 x 80 mm
22072	S.S. Table 30" x 36" / 762 x 914 mm, 4 legs	551 lb. (250 kg.)	363.8 lb. (165 kg.)	34.5" (876.3 mm)	44.1 lbs./ 20 kg	37.4" x 31.2" x 3.1" 949 x 793 x 80 mm
22073	S.S. Table 30" x 48" / 762 x 1219 mm, 4 legs	639 lb. (290 kg.)	363.8 lb. (165 kg.)	34.5" (876.3 mm)	54.7 lbs./ 24.8 kg	49.4" x 31.2" x 3.1" 1255 x 793 x 80 mm
*22074	S.S. Table 30" x 60" / 762 x 1524 mm, 4 legs	679 lb. (308 kg.)	396.8 lb. (180 kg.)	34.5" (876.3 mm)	66.1 lbs./ 30 kg	61.4" x 31.2" x 3.1" 1559 x 793 x 80 mm
*22075	S.S. Table 30" x 72" / 762 x 1829 mm, 4 legs	750 lb. (340 kg.)	397 lb. (180 kg.)	34.5" (876.3 mm)	77.6 lbs./ 35.2 kg	73.4" x 31.2" x 3.1" 1864 x 793 x 80 mm
*22076	S.S. Table 30" x 84" / 762 x 2133.6 mm, 6 legs	1092 lb. (495 kg.)	452 lb. (205 kg.)	34.5" (876.3 mm)	99.2 lbs./ 45 kg	85.4" x 31.2" x 3.1" 2169 x 793 x 80 mm
*22077	S.S. Table 30" x 96" / 762 x 2438 mm, 6 legs	1157 lb. (525 kg.)	485 lb. (220 kg.)	34.5" (876.3 mm)	104.5 lbs./47.4 kg	97.4" x 31.2" x 3.1" 2473 x 793 x 80 mm



Welded Stainless Steel Tables available by request. Please call for more information.

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2015.E.O.E

WORK TABLES

STANDARD WORK TABLE WITH BACKSPLASH



Worktables with backsplash - Standard Series

- 18 Gauge 430 Stainless Steel
- Support Channels secured via bolt and acorn style nut
- The Galvanized Under-shelf designed with welded V pipe leg supports
- Legs secured by single set-screw design
- Plastic Bullet Feet



TECHNICAL SPECIFICATION

ITEM	DESCRIPTION	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
22078	S.S. Table 24" x 24" / 610 x 610 mm with 4"/101.6 mm backsplash, 4 legs	485 lbs./ 220 kg	38.5" / 977.9 mm	32.6 lbs./ 14.8 kg	35.2" x 28.7" x 7.1" / 895 x 729 x 180 mm
22079	S.S. Table 24" x 30" / 610 x 762 mm with 4"/101.6 mm backsplash, 4 legs	529 lbs./ 240 kg	38.5" / 977.9 mm	37.9 lbs./ 17.2 kg	35.2" x 28.7" x 7.1" / 895 x 729 x 180 mm
22080	S.S. Table 24" x 36" / 610 x 914 mm with 4"/101.6 mm backsplash, 4 legs	573 lbs./ 259.9 kg	38.5" / 977.9 mm	40.6 lbs./ 18.4 kg	37.4" x 25.4" x 7.1" / 949 x 644 x 180 mm
22081	S.S. Table 24" x 48" / 610 x 1219 mm with 4"/101.6 mm backsplash, 4 legs	606 lbs./ 274.9 kg	38.5" / 977.9 mm	51.6 lbs./ 23.4 kg	49.4" x 25.4" x 7.1" / 1255 x 644 x 180 mm
*22082	S.S. Table 24" x 60" / 610 x 1524 mm with 4"/101.6 mm backsplash, 4 legs	650 lbs./ 294.8 kg	38.5" / 977.9 mm	58.6 lbs./ 26.6 kg	61.4" x 25.4" x 7.1" / 1559 x 644 x 180 mm
*22083	S.S. Table 24" x 72" / 610 x 1829 mm with 4"/101.6 mm backsplash, 4 legs	705 lbs./ 319.8 kg	38.5" / 977.9 mm	69.4 lbs./ 31.5 kg	73.4" x 25.4" x 7.1" / 1864 x 644 x 180 mm
*22084	S.S. Table 24" x 84" / 610 x 2133.6 mm with 4"/101.6 mm backsplash, 6 legs	1036 lbs./469.9 kg	38.5" / 977.9 mm	83.8 lbs./ 38 kg	85.4" x 25.4" x 7.1" / 2169 x 644 x 180 mm
*22085	S.S. Table 24" x 96" / 610 x 2438 mm with 4"/101.6 mm backsplash, 6 legs	1102 lbs./499.9 kg	38.5" / 977.9 mm	96.6 lbs./43.8 kg	97.4" x 25.4" x 7.1" / 2473 x 644 x 180 mm
22086	S.S. Table 30" x 30" / 762 x 762 mm with 4"/101.6 mm backsplash, 4 legs	551 lbs./ 249.9 kg	38.5" / 977.9 mm	44.1 lbs./ 20 kg	38.8" x 34.7" x 7.1" / 985 x 882 x 180 mm
22087	S.S. Table 30" x 36" / 762 x 914 mm with 4"/101.6 mm backsplash, 4 legs	595 lbs./ 269.9 kg	38.5" / 977.9 mm	46.3 lbs./ 21 kg	37.4" x 31.4" x 7.1" / 949 x 797 x 180 mm
22088	S.S. Table 30" x 48" / 762 x 1219 mm with 4"/101.6 mm backsplash, 4 legs	639 lbs./ 289.8 kg	38.5" / 977.9 mm	56.9 lbs./ 25.8 kg	49.4" x 31.4" x 7.1" / 1255 x 797 x 180 mm
*22089	S.S. Table 30" x 60" / 762 x 1524 mm with 4"/101.6 mm backsplash, 4 legs	679 lbs./ 308 kg	38.5" / 977.9 mm	70.1 lbs./ 31.8 kg	61.4" x 31.4" x 7.1" / 1559 x 797 x 180 mm
*22090	S.S. Table 30" x 72" / 762 x 1829 mm with 4"/101.6 mm backsplash, 4 legs	750 lbs./ 340.2 kg	38.5" / 977.9 mm	80.7 lbs./ 36.6 kg	73.4" x 31.4" x 7.1" / 1864 x 797 x 180 mm
*22091	S.S. Table 30" x 84" / 762 x 2133.6 mm with 4"/101.6 mm backsplash, 6 legs	1091 lbs./494.4 kg	38.5" / 977.9 mm	99.2 lbs./ 45 kg	85.4" x 31.4" x 7.1" / 2169 x 797 x 180 mm
*22092	S.S. Table 30" x 96" / 763 x 2438 mm with 4"/101.6 mm backsplash, 6 legs	1157 lbs./524.8 kg	38.5" / 977.9 mm	108.5 lbs./49.2 kg	97.4" x 31.4" x 7.1" / 2473 x 797 x 180 mm



Welded Stainless Steel Tables available by request. Please call for more information.

OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



WORK TABLES

UNDERSHELF FOR STANDARD WORK TABLE



Under-shelf for standard worktable - Galvanized undershelf



				TECHNICAL SPECIFICATION
ITEM	DESCRIPTION	LOAD CAPACITY	GROSS DIMENSIONS	GROSS WEIGHT
22093	24" x 24"/ 610 x 610 mm Undershelf for 22063 and 22078	297 lbs./ 134.7 kg	20.1" x 18.7" x 2.4" 510 x 475 x 60 mm	6.5 lbs./ 2.95 kg
22094	24" x 30"/ 610 x 762 mm Undershelf for 22064 and 22079	330 lbs./149.7 kg	26" x 18.7" x 2.4" 660 x 475 x 60 mm	8.4 lbs./ 3.8 kg
22095	24" x 36"/ 610 x 914 mm Undershelf for 22065 and 22080	330 lbs./149.7 kg	31.9" x 18.7" x 2.4" 810 x 475 x 60 mm	9.7 lbs./ 4.4 kg
22096	24" x 48"/ 610 x 1219 mm Undershelf for 22066 and 22081	363 lbs./12.9 kg	44.1" x 18.7" x 2.4" 1120 x 475 x 60 mm	12.9 lbs./ 5.85 kg
*22097	24" x 60"/ 610 x 1524 mm Undershelf for 22067 and 22082	396 lbs./179.6 kg	55.9" x 18.7" x 2.4" 1420 x 475 x 60 mm	16.8 lbs./ 7.6 kg
*22098	24" x 72"/ 610 x 1829 mm Undershelf for 22068 and 22083	396 lbs./ 179.6 kg	67.9" x 18.7" x 2.4" 1725 x 475 x 60 mm	19.8 lbs./ 9 kg
*22099	24" x 84"/ 610 x 2133.6 mm Undershelf for 22069 and 22084	429 lbs./ 194.6 kg	80.2" x 18.7" x 2.4" 2037 x 475 x 60 mm	22.6 lbs./ 10.25 kg
*22100	24" x 96"/ 610 x 2438 mm Undershelf for 22070 and 22085	462 lbs./ 209.6 kg	92.1" x 18.7" x 2.4" 2340 x 475 x 60 mm	25.6 lbs./11.6 kg
22101	30" x 30"/ 762 x 762 mm Undershelf for 22071 and 22086	310 lbs./140.6 kg	26" x 24.8" x 2.4" 660 x 630 x 60 mm	10.1 lbs./ 4.6 kg
22102	30" x 36"/ 762 x 914 mm Undershelf for 22072 and 22087	333 lbs./151 kg	31.9" x 24.8" x 2.4" 810 x 630 x 60 mm	12.5 lbs./ 5.65 kg
22103	30" x 48"/ 762 x 1219 mm Undershelf for 22073 and 22088	353 lbs./160.1 kg	44.1" x 24.8" x 2.4" 1120 x 630 x 60 mm	16.8 lbs./ 7.6 kg
*22104	30" x 60"/ 762 x 1524 mm Undershelf for 22074 and 22089	376 lbs./ 170.6 kg	55.9" x 24.8" x 2.4" 1420 x 630 x 60 mm	21.2 lbs./ 9.6 kg
*22105	30" x 72"/ 762 x 1829 mm Undershelf for 22075, 22090 and 22062	396 lbs./ 179.6 kg	67.9" x 24.8" x 2.4" 1725 x 630 x 60 mm	25.1 lbs./ 11.4 kg
*22106	30" x 84"/ 762 x 2133.6 mm Undershelf for 22076 and 22091	451 lbs./ 204.6 kg	80.2" x 24.8" x 2.4" 2037 x 630 x 60 mm	28.7 lbs./ 13 kg
*22107	30" x 96"/ 762 x 2438 mm Undershelf for 22077 and 22092	484 lbs./ 219.5 kg	92.1" x 24.8" x 2.4" 2340 x 630 x 60 mm	33.5 lbs./ 15.2 kg
44291	24" x 18" / 610 x 457 mm Undershelf for 43182	180 lbs./81.6 kg	16.7" x 18.7" x 2.4" 425 x 475 x 60 mm	4.4 lbs. / 2 kg
44292	30" x 18" / 762 x 457 mm Undershelf for 43183	200 lbs. / 90.7 kg	16.7" x 24.8" x 2.4" 425 x 630 x 60 mm	6.8 lbs. / 3.1 kg

Bullet feet

ITEM	DESCRIPTION
39313	Stainless Steel Bullet Foot
23510	Plastic Bullet Foot
23520	Bullet Foot- Plastic Inside Stainless Steel Outside



23520



23510



39313

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers

