



FOOD EQUIPMENT

SERVING THE FOOD INDUSTRY SINCE 1951

Affinacheese® CHEESE DRYING CABINETS

Model: STGPNSTF6

Model: STG100TFO

Model: STG150TFO

Model: STG200TFO

Model: STGTWITFO



Affinacheese® has been designed specifically for drying/seasoning of all types of cheeses. All internal and external parts that may come in contact with food are built using AISI 304 stainless steel.



WARRANTY

PARTS AND LABOR



Applicable to items 45516 and 45518 only




Authorized Dealer

FOOD EQUIPMENT

CHEESE DRYING CABINET - 132 LBS / 60 KG CAPACITY



TECHNICAL DRAWING AND DIMENSIONS



1. Water inlet: 3/4" Dia. 2. Electrical connection: 230V 3. Water outlet: 1/2" Dia. *Internal dimensions

ACCESSORIES

Standard Equipment

- Smooth Guide Sets
- 8 Polypropylene Shelves
- Drain Tray
- Flexible Drain Hose
- Fumotic®
- Air Exchange Kit
- Water Filter
- 2 Tanks Water/Aroma
- 4 Adjustable Legs

Optional Equipment

- Hanging Rods
- Wall Mount Kit
- pH Probe
- HACCP Data Printer



TECHNICAL SPECIFICATIONS

ITEM NUMBER	45517	STORAGE TEMPERATURE	-10°C - 70°C / 14°F - 158°F
MODEL	STGPNSTF6	ELECTRICAL	220V / 60Hz / 1Ph
DESCRIPTION	Cheese Drying Cabinet	DIMENSIONS (LDH)	43.3" x 30.9" x 52" 1100 x 785 x 1320 mm
CAPACITY	132 lbs. / 60 kg.	WEIGHT	331 lbs. / 150 kg.
WORKING TEMPERATURE	- 5°C - 50°C / 23°F - 122°F	SHIPPING WEIGHT	496 lbs. / 225 kg.

OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers




2018.E.O.E

FOOD EQUIPMENT

CHEESE DRYING CABINET - 220 LBS / 100 KG CAPACITY



TECHNICAL DRAWING AND DIMENSIONS



* Internal dimensions

1. Water inlet: 3/4" Dia. 2. Electrical connection: 230V 3. Water outlet: 1/2" Dia. *Internal dimensions

ACCESSORIES

Standard Equipment

- Smooth Guide Sets
- 7 Polypropylene Shelves
- Drain Tray
- Flexible Drain Hose
- Fumotic®
- Air Exchange Kit
- Water Filter
- 2 Tanks Water/Aroma
- 4 Adjustable Legs

Optional Equipment

- Hanging Rods
- Wheel Kit
- pH Probe
- HACCP Data Printer



TECHNICAL SPECIFICATIONS

ITEM NUMBER	45518	STORAGE TEMPERATURE	-10°C - 70°C / 14°F - 158°F
MODEL	STG100TFO	ELECTRICAL	220V / 60Hz / 1Ph
DESCRIPTION	Cheese Drying Cabinet	DIMENSIONS (LDH)	28.7" x 30.9" x 83.3" 730 x 785 x 2115 mm
CAPACITY	220 lbs. / 100 kg.	WEIGHT	308.6 lbs. / 140 kg.
WORKING TEMPERATURE	- 5°C - 50°C / 23°F - 122°F	SHIPPING WEIGHT	474 lbs. / 215 kg.

OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers




2018.E.O.E

FOOD EQUIPMENT

CHEESE DRYING CABINET - 330 LBS / 150 KG CAPACITY



TECHNICAL DRAWING AND DIMENSIONS



ACCESSORIES

Standard Equipment

- Smooth Guide Sets
- 7 Polypropylene Shelves
- Drain Tray
- Flexible Drain Hose
- Fumotic®
- Air Exchange Kit
- Water Filter
- 2 Tanks Water/Aroma
- 4 Adjustable Legs

Optional Equipment

- Hanging Rods
- Wheel Kit
- pH Probe
- HACCP Data Printer

TECHNICAL SPECIFICATIONS

ITEM NUMBER	45516	STORAGE TEMPERATURE	-10°C - 70°C / 14°F - 158°F
MODEL	STG150TFO	ELECTRICAL	220V / 60Hz / 1Ph
DESCRIPTION	Cheese Drying Cabinet	DIMENSIONS (LDH)	35.6" x 30.9" x 83.26" 905 x 785 x 2115 mm
CAPACITY	330 lbs. / 150 kg.	WEIGHT	441 lbs. / 200 kg.
WORKING TEMPERATURE	- 5°C - 50°C / 23°F - 122°F	SHIPPING WEIGHT	672.41 lbs. / 305 kg.

OMCAN INC.

Telephone: 1-800-465-0234
Fax: (905) 607-0234
Email: sales@omcan.com
Website: www.omcan.com



Follow us to keep up to date with the latest news and offers




2018.E.O.E

FOOD EQUIPMENT

CHEESE DRYING CABINET - 440 LBS / 200 KG CAPACITY



TECHNICAL DRAWING AND DIMENSIONS



* Internal dimensions

1. Water inlet: 3/4" Dia. 2. Electrical connection: 230V 3. Water outlet: 1/2" Dia.
*Internal dimensions

ACCESSORIES

Standard Equipment

- Smooth Guide Sets
- 14 Polypropylene Shelves
- Drain Tray
- Flexible Drain Hose
- Fumotic®
- Air Exchange Kit
- Water Filter
- 2 Tanks Water/Aroma
- 4 Adjustable Legs

Optional Equipment

- Hanging Rods
- Wheel Kit
- pH Probe
- HACCP Data Printer



TECHNICAL SPECIFICATIONS

ITEM NUMBER	45519	STORAGE TEMPERATURE	-10°C - 70°C / 14°F - 158°F
MODEL	STG200TFO	ELECTRICAL	220V / 60Hz / 1Ph
DESCRIPTION	Cheese Drying Cabinet	DIMENSIONS (LDH)	57.7" x 31" x 83.3" 1465 x 785 x 2115 mm
CAPACITY	440 lbs. / 200 kg.	WEIGHT	551 lbs. / 250 kg.
WORKING TEMPERATURE	-5°C - 50°C / 23°F - 122°F	SHIPPING WEIGHT	829 lbs. / 376 kg.

OMCAN INC.

Telephone: 1-800-465-0234
Fax: (905) 607-0234
Email: sales@omcan.com
Website: www.omcan.com



Follow us to keep up to date with the latest news and offers




2018.E.O.E

FOOD EQUIPMENT

CHEESE DRYING CABINET - TWIN 100 + 100 KG CAPACITY



TECHNICAL DRAWING AND DIMENSIONS



1. Water inlet: 3/4" Dia. 2. Electrical connection: 230V 3. Water outlet: 1/2" Dia.
*Internal dimensions

ACCESSORIES

Standard Equipment

- Smooth Guide Sets
- 7 + 7 Polypropylene Shelves
- Drain Tray
- Flexible Drain Hose
- Fumotic®
- Air Exchange Kit
- Water Filter
- 2 Tanks Water/Aroma
- 4 Adjustable Legs

Optional Equipment

- Hanging Rods
- Wheel Kit
- pH Probe
- HACCP Data Printer



TECHNICAL SPECIFICATIONS

ITEM NUMBER	45520	STORAGE TEMPERATURE	-10°C - 70°C / 14°F - 158°F
MODEL	STGTWITFO	ELECTRICAL	220V / 60Hz / 1Ph
DESCRIPTION	Cheese Drying Cabinet	DIMENSIONS (LDH)	57.6" x 30.9" x 83.2" 1465 x 785 x 2115 mm
CAPACITY	100 + 100 kg (220 + 220 lbs)	WEIGHT	551 lbs. / 250 kg.
WORKING TEMPERATURE	- 5°C - 50°C / 23°F - 122°F	SHIPPING WEIGHT	829 lbs. / 376 kg.

OMCAN INC.

Telephone: 1-800-465-0234
Fax: (905) 607-0234
Email: sales@omcan.com
Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2018.E.O.E